

VIEWPOINT™

Mobile Teleconferencing Studio



SMARTdesks™

Viewpoint™ Mobile Studio

HD Conferencing in context, beautifully lit and composed.



Viewpoint's stage positions up to three people for a crisp video composition. Geometry of the stage is engineered to camera optics angle of view and distance to subject.

Lights, camera... action! No need for a dedicated space for teleconferencing or distance learning. Viewpoint™ Mobile Studio rolls to any place that gives the proper context for your discussion, presentation, demonstration or interview session.

VTC-6340x3-MTS

Viewpoint™ Mobile Studio



HD Video Teleconferencing cross pond, cross county or cross town.

HD teleconference in any setting for the most efficient use of time and space. ViewpointHD™ records digital video at 720i to 1080i at 30 fps in real time, tabulates time, date stamps, has multiple point split screen imaging, controls far and near end cameras, and sound muting microphone has real time clarity. The ViewpointHD™ is sold as a complete studio: lighting, PTZ-HD camera, codec and an adjustable sit-to-stand three person table configured for proper field of view.



VIEWPOINT™

Mobile Teleconference Studio

The VIEWPOINT™
Mobile Teleconference Studio
has been engineered to accomplish
these objectives:

- Mobility: Five 4" casters allow Viewpoint™ to move across any type of floor surface
- Self-Contained: Monitor, camera, phone, microphones, and codec are attached and are moved simultaneously, ready for use.
- Camera Composition: The geometry considers the zoom range of 70° field of view, providing a framework for the camera and subjects.
- Use Sitting or Standing: Adjustable from 27 inches to 38 inches in one-inch increments with pneumatic column.
- Camera Support: Adjustable height on vertical column. Multiple column heights available. Adjustable with articulating arms, each with 360° range. Permits camera positioning within radius of 18 inches.
- Monitor Mount: VESA mount with screen angle adjustability, vertical height positioning on same vertical column as camera support.
- Codec secured with metal bracket to support column.
- Deck Composition: 30mm MDF, contour milled, finished in 3D thermofoil.



SMARTdesks™

www.smartdesks.com
800 770 7042