

Master Price List - Table of Contents

Page 3	SMARTdesks™ SR Workstations with Semi-Recessed Monitor
Page 11	SMARTdesks™ FP Workstations with Semi-Recessed LCD
Page 19	SMARTdesks™ SS Workstations with Sub-Surface Monitor
Page 25	SMARTdesks™ flipIT Workstation with Integrated LCD
Page 30	SMARTdesks™ DT Workstations with Desktop Monitor
Page 38	SMARTdesks™ Laptop Workstations
Page 42	SMARTdesks™ SnapFlex™ Workstations with Semi-Recessed Monitor
Page 49	SMARTdesks™ MPLEX Lectern with Semi-Recessed Monitor
Page 55	SMARTdesks™ MPLEX Lectern with Semi-Recessed LCD Monitor
Page 61	SMARTdesks™ MPLEX Lectern with Sub-Surface Monitor
Page 67	SMARTdesks™ MPLEX Lectern flipIT Integrated LCD Lectern
Page 73	SMARTdesks™ MPLEX Lectern with Desktop Monitor
Page 80	SMARTdesks™ MPLEX Lectern Open Bay for Laptops
Page 84	SMARTdesks™ CTI SS Monitor Table Module
Page 85	SMARTdesks™ CTI flipIT LCD Monitor Table Module
Page 86	SMARTdesks™ CTI Components
Page 90	SMARTdesks™ DEMI™ Shared Terminal Computer Tables
Page 98	SMARTdesks™ DLSeminar™ Table System - #101 Leg Series
Page 109	SMARTdesks™ DLSeminar™ Table System - #105 Leg Series
Page 121	SMARTdesks™ SPEX™ Storage and Support Components
Page 125	SMARTchairs™ Training and Classroom Seating
Page 133	SMARTdesks™ Terms and Conditions of Sale
Page 134	SMARTdesks™ Specifications and Warranty
Page 135	SMARTdesks™ QQuote Project Cost Quote

Note: Pricing, specifications and entity/quantity discount rates subject to change.
Contact the sales department at SMARTdesks for additional information.

ITEM NUMBER	Single SR Station / Single Bay	VDT	SIZE	LIST
Single Semi-Recessed Monitor Workstation with 10" CPU bay, pullout keyboard/mouse platform, Integral Wire Management™				
SSR-363030-TK9	10" CPU bay	14"-19"	36x30x30	1,000
SSR-363630-TK1	10" CPU bay	19"-21"	36x36x30	1,086
SSR-443030-TK9	10" CPU bay	14"-19"	44x30x30	1,034
SSR-443630-TK1	10" CPU bay	19"-21"	44x36x30	1,121

Single Semi-Recessed Monitor Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platform, Integral Wire Management™

SSR-443030-CK9	20" CPU bay	14"-19"	44x30x30	1,034
SSR-443630-CK1	20" CPU bay	19"-21"	44x36x30	1,121
SSR-483030-CK9	20" CPU bay	14"-19"	48x30x30	1,172
SSR-483630-CK1	20" CPU bay	19"-21"	48x36x30	1,224

ITEM NUMBER	Single SR Station / Double Bay	VDT	SIZE	LIST
Single Semi-Recessed Monitor Workstation with 20" Convertible CPU/Storage Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™				
SSR-603030-CK9	20" w (right) & 10" w (left) CPU bays	14"-19"	60x30x30	1,259
SSR-603630-CK1	20" w (right) & 10" w (left) CPU bays	19"-21"	60x36x30	1,345

Single Semi-Recessed Monitor Workstation with Two 20" Convertible CPU/Storage Cabinets™
Pullout keyboard/mouse platform, Integral Wire Management™

SSR-723030-CK9	2-20" CPU bays	14"-19"	72x30x30	1,500
SSR-723630-CK1	2-20" CPU bays	19"-21"	72x36x30	1,638

ITEM NUMBER	Double SR Workstations	VDT	SIZE	LIST
-------------	------------------------	-----	------	------

Double Semi-Recessed Monitor Workstation with 20" Convertible CPU Cabinet™ (center), pullout keyboard/mouse platforms, Integral Wire Management™

DSR-663030-CK9	20" Center CPU bay	14"-19"	66x30x30	1,500
DSR-723030-CK9	20" Center CPU bay	14"-19"	72x30x30	1,590
DSR-723630-CK1	20" Center CPU bay	19"-21"	72x36x30	1,693
DSR-883030-CK9	20" Center CPU bay	14"-19"	88x30x30	1,724
DSR-883630-CK1	20" Center CPU bay	19"-21"	88x36x30	1,828

Double Semi-Recessed Monitor Workstation with Two 10" Tower CPU bays, pullout keyboard/mouse platforms, Integral Wire Management™

DSR-723030-TK9	2-10" CPU bays	14"-19"	72x30x30	1,590
DSR-723630-TK1	2-10" CPU bays	19"-21"	72x36x30	1,693
DSR-883030-TK9	2-10" CPU bays	14"-19"	88x30x30	1,724
DSR-883630-TK1	2-10" CPU bays	19"-21"	88x36x30	1,828

Double Semi-Recessed Monitor Workstation with 20" Convertible CPU/Storage Cabinet™ (center), Two 10" Tower CPU Bays (sides), Pullout keyboard/mouse platforms, Integral Wire Management™

DSR-963030-CK9	2-10" Side & 1-20" Center CPU bays	14"-19"	96x30x30	1,810
DSR-963630-CK1	2-10" Side & 1-20" Center CPU bays	19"-21"	96x36x30	1,914

ITEM NUMBER	Triple SR Workstations	VDT	SIZE	LIST
-------------	------------------------	-----	------	------

Triple Semi-Recessed Monitor Workstation with 20" Convertible CPU Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platforms, Integral Wire Management™

TSR-103030-CK9	1-10" & 1-20" CPU bays	14"-19"	100x30x30	2,293
-----------------------	------------------------	---------	-----------	-------

ITEM NUMBER	Single SR Youth PC Stations without keyboard tray	VDT	SIZE	LIST
-------------	---	-----	------	------

Single Semi-Recessed Monitor PC Station, 10" tower CPU bay, Integral Wire Management™. Without keyboard tray.

SSR-333028-Tx7	Grade 9 thru 12	14"-17"	33x30x26	914
SSR-333026-Tx7	Grade 5 thru 8	14"-17"	33x30x26	914
SSR-333024-Tx7	Grade K thru 4	14"-17"	33x30x24	914
SSR-333036-Tx7	Adult Stand-up	14"-17"	33x30x36	983

ITEM NUMBER	Double SR Youth PC Station without keyboard tray	VDT	SIZE	LIST
-------------	--	-----	------	------

Double Semi-Recessed Monitor PC Station, 18.5" Convertible CPU Cabinet™, Integral Wire Management™. Without keyboard trays.

DSR-603028-Cx7	Grade 9 thru 12	14"-17"	60x30x26	1,172
DSR-603026-Cx7	Grade 5 thru 8	14"-17"	60x30x26	1,172
DSR-603024-Cx7	Grade K thru 4	14"-17"	60x30x24	1,172
DSR-603036-Cx7	Adult Stand-up	14"-17"	60x30x36	1,241

ITEM NUMBER	Triple SR Youth PC Station without keyboard tray	VDT	SIZE	LIST
-------------	--	-----	------	------

Triple Semi-Recessed Monitor PC Station, 18.5" Convertible CPU Cabinet™, 10" tower CPU bay, Integral Wire Management™ Without keyboard trays.

TSR-903028-Cx7	Grade 9 thru 12	14"-17"	90x30x26	1,638
TSR-903026-Cx7	Grade 5 thru 8	14"-17"	90x30x26	1,638
TSR-903024-Cx7	Grade K thru 4	14"-17"	90x30x24	1,638
TSR-903036-Cx7	Adult Stand-up	14"-17"	90x30x36	1,707

ITEM NUMBER	Single SR CRT Stations with Integrated CPU without keyboard tray and CPU bay	VDT	SIZE	LIST
-------------	---	-----	------	------

Single Semi-Recessed CRT Station with Integrated CPU, with optional keyboard tray, Integral Wire Management™. Without CPU bay.

SSR-303028-xxM	Grade 9 thru 12	15"-17"	33x30x28	655
SSR-303026-xxM	Grade 5 thru 8	15"-17"	33x30x26	655
SSR-303024-xxM	Grade K thru 4	15"-17"	33x30x24	655
SSR-303036-xxM	Adult Stand-up	15"-17"	30x30x36	724

ITEM NUMBER	Double SR CRT Stations with Integrated CPU without keyboard tray and CPU bay	VDT	SIZE	LIST
-------------	---	-----	------	------

Double Semi-Recessed CRT Station Integrated CPU, with optional keyboard trays, Integral Wire Management™. Without CPU bay.

DSR-603028-xxM	Grade 9 thru 12	15"-17"	60x30x28	1,069
DSR-603026-xxM	Grade 5 thru 8	15"-17"	60x30x26	1,069
DSR-603024-xxM	Grade K thru 4	15"-17"	60x30x24	1,069
DSR-603036-xxM	Adult Stand-up	15"-17"	60x30x36	1,138

ITEM NUMBER	Triple SR CRT Stations with Integrated CPU withou keyboard tray and CPU bay	VDT	SIZE	LIST
-------------	--	-----	------	------

Triple Semi-Recessed CRT Station with integrated CPU, with optional keyboard trays, Integral ire Management™. Without CPU bay.

TSR-903028-xxM	Grade 9 thru 12	15"-17"	90x30x28	1,310
TSR-903026-xxM	Grade 5 thru 8	15"-17"	90x30x26	1,310
TSR-903024-xxM	Grade K thru 4	15"-17"	90x30x24	1,310
TSR-903036-xxM	Adult Stand-up	15"-17"	90x30x36	1,379

ITEM NUMBER	Instructor's SR Stations	VDT	SIZE	LIST
Instructor's Semi-Recessed Monitor Workstation with Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™				
ISR-603030-CK9	10" (left) + 20" (right) locking bays	14"-19"	60x30x30	1,828
ISR-603630-CK1	10" (left) + 20" (right) locking bays	19"-21"	60x36x30	1,879

Instructor's Semi-Recessed Monitor Workstation with Two Locking 20" Convertible CPU/Storage Cabinet™, Pullout keyboard/mouse platform, Integral Wire Management™

ISR-723030-CK9	2-20" locking CPU bays	14"-19"	72x30x30	1,914
ISR-723630-CK1	2-20" locking CPU bays	19"-21"	72x36x30	2,017

ITEM NUMBER	Instructor's SR Sit-Stand Lectern/Desk	VDT	SIZE	LIST
Instructor's Sit-Stand Lectern/Desk with Semi-Recessed Monitor, Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Articulated keyboard/mouse platform (15.5" height range), Removable Desktop Podium, Integral Wire Management™				
ISR-603030-CA9	10" (left) + 20" (right) locking CPU bays	14"-19"	60x30x30	2,759
ISR-603630-CA1	10" (left) + 20" (right) locking CPU bays	19"-21"	60x36x30	2,859

Instructor's Sit-Stand Lectern/Desk with Semi-Recessed Monitor, Two Locking 20" Convertible CPU/Storage Cabinet™, Articulated keyboard/mouse platform (15.5" height range), Removable Desktop Podium, Integral Wire Management™

ISR-723030-CA9	2-20" locking CPU bays	14"-19"	72x30x30	2,841
ISR-723630-CA1	2-20" locking CPU bays	19"-21"	72x36x30	2,948

SUFFIX	Ergonomic Keyboard/Mouse Platforms	LIST
AK2	Articulated, dual-arm, keyboard/mouse tray. Full range (15.5" ht. range) sit-stand and tilt adjustability. Meets ADA requirements. Accommodates recessed monitors.	661
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	91
SK2	Pullout, dual-arm 20.75"w keyboard tray with side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW4	4 Dual-wheel locking casters (50mm) with steel panel support braces.	155
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
DW10	10 Dual-wheel locking casters (50mm) with steel panel support braces.	224
DW12	12 Dual-wheel locking casters (50mm) with steel panel support braces.	241
RAP	Rear Access Panel. 6" x 9" opening provides access at back or side of CPU bay.	76
RAD	Locking rear or side CPU bay access door.	155
PS1	Pull-Out Shelf on heavy-duty, full-extension glides in 10" CPU bay.	166
PS2	Pull-Out Shelf on heavy-duty, full-extension glides in 20" CPU bay	166

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Top Connectors / Extenders	LIST
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
A36-xx	Angle connector for 36" deep worksurfaces (Specify Angle)	155
WTP1	10" wide x 18" deep Pull-out Writing Tablet (10" CPU bays)	121
WTP2	20" wide x 18" deep Pull-out Writing Tablet (20" CPU bays)	129
WTC1	10" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (10" CPU bays)	136
WTC2	20" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (20" CPU bays)	145
SUFFIX	Security	LIST
LB1	Locking 10" w CPU Bay Door	129
LB2	Locking 20" w CPU Bay Door	138
DB1	Locking 10" w CPU Bay Utility Drawer	121
DB2	Locking 20" w CPU Bay Utility Drawer	145
MCL	Monitor cable lock (Universal PC Kit BMS-IC).	64
MC9	Monitor Cap with glass window. Secures and protects VDT. (30" deep desk)	345
MC1	Monitor Cap with glass window. Secures and protects VDT. (36" deep desk)	379
SUFFIX	SR Monitor Conversions	LIST
MF9	Convert SR Desk to DT configuration. Monitor Filler Panel with DTG (30"deep desk)	155
MF1	Convert SR Desk to DT configuration. Monitor Filler Panel with DTG (36"deep desk)	172
ML9	Convert SR Desk to FP configuration. Monitor Filler Panel (30"deep desk)	103
ML1	Convert SR Desk to FP configuration. Monitor Filler Panel (36"deep desk)	121
LF9	Convert SR Desk to LT configuration. Monitor Filler Panel with PDP (30"deep desk)	283
LF1	Convert SR Desk to LT configuration. Monitor Filler Panel with PDP (36"deep desk)	303
SUFFIX	Custom Modifications / Conversions	LIST
CUT	Custom cut-out w/finished edges for doc-cam, projector, etc	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single FP Station / Single Bay	VDT	SIZE	LIST
Single Semi-Recessed LCD Workstation with 10" CPU bay, pullout keyboard/mouse platform, Integral Wire Management™				
SFP-362630-TKF	10" CPU bay	15"-18"	36x26x30	1,000
SFP-363030-TKF	10" CPU bay	15"-18"	36x30x30	1,017
SFP-442630-TKF	10" CPU bay	15"-18"	44x26x30	1,034
SFP-443030-TKF	10" CPU bay	15"-18"	44x30x30	1,052

Single Semi-Recessed LCD Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platform, Integral Wire Management™

SFP-442630-CKF	20" CPU bay	15"-18"	44x26x30	1,034
SFP-443030-CKF	20" CPU bay	15"-18"	44x30x30	1,052
SFP-482630-CKF	20" CPU bay	15"-18"	48x26x30	1,172
SFP-483030-CKF	20" CPU bay	15"-18"	48x30x30	1,190

ITEM NUMBER	Single FP Station / Double Bay	VDT	SIZE	LIST
-------------	--------------------------------	-----	------	------

Single Semi-Recessed LCD Workstation with 20" Convertible CPU/Storage Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™

SFP-602630-CKF	20" w (right) & 10" w (left) CPU bays	15"-18"	60x26x30	1,259
SFP-603030-CKF	20" w (right) & 10" w (left) CPU bays	15"-18"	60x30x30	1,276

Single Semi-Recessed LCD Workstation with Two 20" Convertible CPU/Storage Cabinets™, Pullout keyboard/mouse platform, Integral Wire Management™

SFP-722630-CKF	2-20" CPU bays	15"-18"	72x26x30	1,500
SFP-723030-CKF	2-20" CPU bays	15"-18"	72x30x30	1,517

ITEM NUMBER	Double FP Workstations	VDT	SIZE	LIST
Double Semi-Recessed LCD Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™				
DFP-662630-CKF	20" Center CPU bay	15"-18"	66x26x30	1,500
DFP-663030-CKF	20" Center CPU bay	15"-18"	66x30x30	1,517
DFP-722630-CKF	20" Center CPU bay	15"-18"	72x26x30	1,590
DFP-723030-CKF	20" Center CPU bay	15"-18"	72x30x30	1,607
DFP-882630-CKF	20" Center CPU bay	15"-18"	88x26x30	1,724
DFP-883030-CKF	20" Center CPU bay	15"-18"	88x30x30	1,741

Double Semi-Recessed LCD Workstation with Two 10" Tower CPU bays, pullout keyboard/mouse platforms, Integral Wire Management™

DFP-722630-TKF	2-10" CPU bays	15"-18"	72x26x30	1,590
DFP-723030-TKF	2-10" CPU bays	15"-18"	72x30x30	1,607
DFP-882630-TKF	2-10" CPU bays	15"-18"	88x26x30	1,724
DFP-883030-TKF	2-10" CPU bays	15"-18"	88x30x30	1,741

Double Semi-Recessed LCD Workstation with 20" Convertible CPU/Storage Cabinet™, Two 10" Tower CPU Bays, Pullout keyboard/mouse platforms, Integral Wire Management™

DFP-962630-CKF	2-10" Side & 1-20" Center CPU bays	15"-18"	96x26x30	1,810
DFP-963030-CKF	2-10" Side & 1-20" Center CPU bays	15"-18"	96x30x30	1,828

ITEM NUMBER	Triple FP Workstations	VDT	SIZE	LIST
Triple Semi-Recessed LCD Workstation with 20" Convertible CPU Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platforms, Integral Wire Management™				
TFP-102630-CKF	1-10" & 1-20" CPU bays	15"-18"	100x26x30	2,293
TFP-103030-CKF	1-10" & 1-20" CPU bays	15"-18"	100x30x30	2,310

ITEM NUMBER	Single FP Stations without keyboard Tray	VDT	SIZE	LIST
Single Semi-Recessed LCD PC Station, 10" tower CPU bay, with out keyboard trays, Integral Wire Management™				
SFP-333028-TxF	9 to Adult	15"-18"	33x30x28	914
SFP-333026-TxF	5 thru 8	15"-18"	33x30x26	914
SFP-333024-TxF	K thru 4	15"-18"	33x30x24	914
SFP-333036-TxF	Stand Up	15"-18"	33x30x36	983

ITEM NUMBER	Double FP Stations without keyboard Tray	VDT	SIZE	LIST
Double Semi-Recessed LCD PC Station, 18.5" Convertible CPU Cabinet™, with out keyboard trays, Integral Wire Management™				
DFP-603028-CxF	9 to Adult	15"-18"	60x30x28	1,172
DFP-603026-CxF	5 thru 8	15"-18"	60x30x26	1,172
DFP-603024-CxF	K thru 4	15"-18"	60x30x24	1,172
DFP-603036-CxF	Stand Up	15"-18"	60x30x36	1,241

ITEM NUMBER	Triple FP Stations without keyboard Tray	VDT	SIZE	LIST
Triple Semi-Recessed LCD PC Station, 18.5" Convertible CPU Cabinet™, 10" tower CPU bay, with out keyboard trays, Integral Wire Management™				
TFP-903028-CxF	9 to Adult	15"-18"	90x30x28	1,638
TFP-903026-CxF	5 thru 8	15"-18"	90x30x26	1,638
TFP-903024-CxF	K thru 4	15"-18"	90x30x24	1,638
TFP-903036-CxF	Stand Up	15"-18"	90x30x36	1,707

ITEM NUMBER	Single FP Station for LCD w/Integrated CPU	VDT	SIZE	LIST
-------------	--	-----	------	------

Single Semi-Recessed Desk for LCD Flat Display w/Integrated CPU, Integral Wire Management™, with optional keyboard tray, without CPU bay

SFP-303028-xxF	9 to Adult	15"-18"	33x30x28	914
SFP-303026-xxF	5 thru 8	15"-18"	33x30x26	914
SFP-303024-xxF	K thru 4	15"-18"	33x30x24	914
SFP-303036-xxF	Stand Up	15"-18"	33x30x36	983

ITEM NUMBER	Double FP Station for LCD w/Integrated CPU	VDT	SIZE	LIST
-------------	--	-----	------	------

Double Semi-Recessed Desk for LCD Flat Display w/Integrated CPU, Integral Wire Management™, with optional keyboard trays, without CPU bay

DFP-603028-xxF	9 to Adult	15"-18"	60x30x28	1,172
DFP-603026-xxF	5 thru 8	15"-18"	60x30x26	1,172
DFP-603024-xxF	K thru 4	15"-18"	60x30x24	1,172
DFP-603036-xxF	Stand Up	15"-18"	60x30x36	1,241

ITEM NUMBER	Triple FP Station for LCD w/Integrated CPU	VDT	SIZE	LIST
-------------	--	-----	------	------

Triple Semi-Recessed Desk for LCD Flat Display w/Integrated CPU, Integral Wire Management™, with optional keyboard trays, without CPU bays

TFP-903028-xxF	9 to Adult	15"-18"	90x30x28	1,638
TFP-903026-xxF	5 thru 8	15"-18"	90x30x26	1,638
TFP-903024-xxF	K thru 4	15"-18"	90x30x24	1,638
TFP-903036-xxF	Stand Up	15"-18"	90x30x36	1,707

ITEM NUMBER	Instructor's FP Stations	VDT	SIZE	LIST
Instructor's Semi-Recessed LCD Workstation with Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™				
IFP-602630-CKF	10" (left) + 20" (right) locking CPU bays	15"-18"	60x30x30	1,828
IFP-603030-CKF	10" (left) + 20" (right) locking CPU bays	15"-18"	60x30x30	1,845

Instructor's Semi-Recessed LCD Workstation with Two Locking 20" Convertible CPU/Storage Cabinet™, Pullout keyboard/mouse platform, Integral Wire Management™				
IFP-722630-CKF	2-20" locking CPU bays	15"-18"	72x30x30	1,914
IFP-723030-CKF	2-20" locking CPU bays	15"-18"	72x36x30	1,931

ITEM NUMBER	Instructor's FP Sit-Stand Lectern/Desk	VDT	SIZE	LIST
Instructor's Sit-Stand Lectern/Desk with Semi-Recessed LCD, Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Articulated keyboard/mouse platform (15.5" height range), Removable Desktop Podium, Integral Wire Management™				
IFP-602630-CAF	10" (left) + 20" (right) locking CPU bays	15"-18"	60x30x30	2,759
IFP-603030-CAF	10" (left) + 20" (right) locking CPU bays	15"-18"	60x36x30	2,772

SUFFIX	Ergonomic Keyboard/Mouse Platforms	LIST
AK2	Articulated, dual-arm, keyboard/mouse tray. Full range (15.5" ht. range) sit-stand and tilt adjustability. Meets ADA requirements. Accommodates recessed monitors.	661
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	91
SK2	Pullout, dual-arm 20.75"w keyboard tray with side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW4	4 Dual-wheel locking casters (50mm) with steel panel support braces.	155
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
DW10	10 Dual-wheel locking casters (50mm) with steel panel support braces.	224
DW12	12 Dual-wheel locking casters (50mm) with steel panel support braces.	241
RAP	Rear Access Panel. 6" x 9" opening provides access at back or side of CPU bay.	76
RAD	Locking rear or side CPU bay access door.	155
PS1	Pull-Out Shelf on heavy-duty, full-extension glides in 10" CPU bay.	166
PS2	Pull-Out Shelf on heavy-duty, full-extension glides in 20" CPU bay	166

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Top Connectors/Extenders	LIST
A26-xx	Angle connector for 26" deep worksurfaces (Specify Angle)	114
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
A36-xx	Angle connector for 36" deep worksurfaces (Specify Angle)	155
WTP1	10" wide x 18" deep Pull-out Writing Tablet (10" CPU bays)	121
WTP2	20" wide x 18" deep Pull-out Writing Tablet (20" CPU bays)	129
WTC1	10" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (10" CPU bays)	136
WTC2	20" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (20" CPU bays)	145
SUFFIX	Security	LIST
LB1	Locking 10" w CPU Bay Door	129
LB2	Locking 20" w CPU Bay Door	138
DB1	Locking 10" w CPU Bay Utility Drawer	121
DB2	Locking 20" w CPU Bay Utility Drawer	145
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features	64
SUFFIX	FP Monitor Conversions	LIST
MFF	Convert FP Desk to DT configuration. Monitor Filler Panel with DTG	138
LFF	Convert FP Desk to LT configuration. Monitor Filler Panel with PDP	269
SUFFIX	Custom Modifications/Conversions	LIST
CUT	Custom cut-out w/finished edges for doc-cam, projector, etc	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single SS Workstations / Single Bay	VDT	Size	LIST
Single Sub-Surface Monitor Workstation with 10" CPU bay, pullout keyboard/mouse platform, Integral Wire Management™				
SSS-363030-TK9	10" w CPU bay	14" - 19"	36x30x30	1,110
SSS-363630-TK1	10" w CPU bay	19" - 21"	36x36x30	1,197
SSS-443030-TK9	10" w CPU bay	14" - 19"	44x30x30	1,128
SSS-443630-TK1	10" w CPU bay	19" - 21"	44x36x30	1,214

Single Sub-Surface Monitor Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platform, Integral Wire Management™

SSS-443030-CK9	20" w CPU bay	14" - 19"	44x30x30	1,128
SSS-443630-CK1	20" w CPU bay	19" - 21"	44x36x30	1,214
SSS-483030-CK9	20" w CPU bay	14" - 19"	48x30x30	1,162
SSS-483630-CK1	20" w CPU bay	19" - 21"	48x36x30	1,300

ITEM NUMBER	Single SS Workstations / Double Bay	VDT	Size	LIST
-------------	-------------------------------------	-----	------	------

Single Sub-Surface Monitor Workstation with 20" Convertible CPU/Storage Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™

SSS-603030-CK9	20" w (right) & 10" w (left) CPU bays	14" - 19"	60x30x30	1,355
SSS-603630-CK1	20" w (right) & 10" w (left) CPU bays	19" - 21"	60x36x30	1,441

Single Sub-Surface Monitor Workstation with Two 20" Convertible CPU/Storage Cabinets™, Pullout keyboard/mouse platform, Integral Wire Management™

SSS-723030-CK9	2-20" w CPU bays	14" - 19"	72x30x30	1,490
SSS-723630-CK1	2-20" w CPU bays	19" - 21"	72x36x30	1,576

ITEM NUMBER	Double SS Workstations	VDT	SIZE	LIST
Double Sub-Surface Monitor Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™				
DSS-663030-CK9	20" w Center CPU bay	14" - 19"	66x30x30	1,607
DSS-723030-CK9	20" w Center CPU bay	14" - 19"	72x30x30	1,628
DSS-723630-CK1	20" w Center CPU bay	19" - 21"	72x36x30	1,748
DSS-883030-CK9	20" w Center CPU bay	14" - 19"	88x30x30	1,828
DSS-883630-CK1	20" w Center CPU bay	19" - 21"	88x36x30	1,914

Double Sub-Surface Monitor Workstation with Two 10" Tower CPU bays, pullout keyboard/mouse platforms, Integral Wire Management™

DSS-723030-TK9	2-10" w CPU bay	14" - 19"	72x30x30	1,607
DSS-723630-TK1	2-10" w CPU bay	19" - 21"	72x36x30	1,628
DSS-883030-TK9	2-10" w CPU bays	14" - 19"	88x30x30	1,862
DSS-883630-TK1	2-10" w CPU bays	19" - 21"	88x36x30	1,948

Double Sub-Surface Monitor Workstation with 20" Convertible CPU/Storage Cabinet™, Two 10" Tower CPU Bays, Pullout keyboard/mouse platforms, Integral Wire Management™

DSS-963030-CK9	2-10" (side) & 1-20" (center) CPU bays	14" - 19"	96x30x30	1,931
DSS-963630-CK1	2-10" (side) & 1-20" (center) CPU bays	19" - 21"	96x36x30	2,000

ITEM NUMBER	Triple SS Workstations	VDT	SIZE	LIST
Triple Sub-Surface Monitor Workstation with 20" Convertible CPU Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platforms, Integral Wire Management™				
TSS-103030-CK9	10" w & 20" w CPU bays	14" - 19"	100x30x30	2,414

ITEM NUMBER	Instructor's SS Stations	VDT	SIZE	LIST
Instructor's Sub-Surface Monitor Workstation with Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™				
ISS-603030-CK9	10" (left) & 20"w (right) locking CPU bays	14" - 19"	60x30x30	1,897
ISS-603630-CK1	10" (left) & 20"w (right) locking CPU bays	19" - 21"	60x36x30	2,017

Instructor's Sub-Surface Monitor Workstation with Two Locking 20" Convertible CPU/Storage Cabinet™, Pullout keyboard/mouse platform, Integral Wire Management™				
ISS-723030-CK9	2-20"w locking CPU bays	14" - 19"	72x30x30	1,983
ISS-723630-CK1	2-20"w locking CPU bays	19" - 21"	72x36x30	2,069

ITEM NUMBER	Instructor's SS Sit-Stand Lectern/Desk	VDT	SIZE	LIST
Instructor's Sit-Stand Lectern/Desk with Sub-Surface Monitor, Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Articulated keyboard/mouse platform (15.5" height range), Removable Desktop Podium, Integral Wire Management™				
ISS-603030-CA9	10" (left) & 20"w (right) locking CPU bays	14" - 19"	60x30x30	2,843
ISS-603630-CA1	10" (left) & 20"w (right) locking CPU bays	19" - 21"	60x36x30	2,964

Instructor's Sit-Stand Lectern/Desk with Sub-Surface Monitor, Two Locking 20" Convertible CPU/Storage Cabinet™, Articulated keyboard/mouse platform (15.5" height range), Removable Desktop Podium, Integral Wire Management™				
ISS-723030-CA9	2-20"w locking CPU bays	14" - 19"	72x30x30	2,903
ISS-723630-CA1	2-20"w locking CPU bays	19" - 21"	72x36x30	2,990

Instructor's Sit-Stand Lectern/Desk with Sub-Surface Monitor, Two Locking 20" Convertible CPU/Storage Cabinet™, Articulated keyboard/mouse platform (15.5" height range), Removable Desktop Podium, Integral Wire Management™				
ISS-723030-CA9	2-20"w locking CPU bays	14" - 19"	72x30x30	2,903
ISS-723630-CA1	2-20"w locking CPU bays	19" - 21"	72x36x30	2,990

SUFFIX	Ergonomic Keyboard/Mouse Platforms	LIST
AK2	Articulated, dual-arm, keyboard/mouse tray. Full range (15.5" ht. range) sit-stand and tilt adjustability. Meets ADA requirements. Accommodates recessed monitors.	661
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	91
SK2	Pullout, dual-arm 20.75"w keyboard tray with side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW4	4 Dual-wheel locking casters (50mm) with steel panel support braces.	155
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
DW10	10 Dual-wheel locking casters (50mm) with steel panel support braces.	224
DW12	12 Dual-wheel locking casters (50mm) with steel panel support braces.	241
RAP	Rear Access Panel. 6" x 9" opening provides access at back or side of CPU bay.	76
RAD	Locking rear or side CPU bay access door.	155
PS1	Pull-Out Shelf on heavy-duty, full-extension glides in 10" CPU bay.	166
PS2	Pull-Out Shelf on heavy-duty, full-extension glides in 20" CPU bay	166

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Top Connectors/Extenders	LIST
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
A36-xx	Angle connector for 36" deep worksurfaces (Specify Angle)	155
WTP1	10" wide x 18" deep Pull-out Writing Tablet (10" CPU bays)	121
WTP2	20" wide x 18" deep Pull-out Writing Tablet (20" CPU bays)	129
WTC1	10" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (10" CPU bays)	136
WTC2	20" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (20" CPU bays)	145
SUFFIX	Security	LIST
LB1	Locking 10" w CPU Bay Door	129
LB2	Locking 20" w CPU Bay Door	138
DB1	Locking 10" w CPU Bay Utility Drawer	121
DB2	Locking 20" w CPU Bay Utility Drawer	145
MCL	Monitor cable lock (Universal PC Kit BMS-IC).	64
SUFFIX	Custom Modifications/Conversions	LIST
CUT	Custom cut-out w/finished edges for doc-cam, projector, etc	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single flipIT Station / Single Bay	VDT	SIZE	LIST
-------------	------------------------------------	-----	------	------

Single flipIT Integrated LCD Workstation with 6"w Thin Client CPU bay, Keyboard/mouse platform, Integral Wire Management™

SFI-303030-TKF	6"w Thin Client CPU bay	15"-18"	30x30x30	1,224
-----------------------	-------------------------	---------	----------	-------

Single flipIT Integrated LCD Workstation with 10" CPU bay, Keyboard/mouse platform, Integral Wire Management™

SFI-363030-TKF	10" CPU bay	15"-18"	36x30x30	1,328
-----------------------	-------------	---------	----------	-------

SFI-443030-TKF	10" CPU bay	15"-18"	44x30x30	1,397
-----------------------	-------------	---------	----------	-------

Single flipIT Integrated LCD Workstation with 20" Convertible CPU Cabinet™, Keyboard/mouse platform, Integral Wire Management™

SFI-483030-CKF	20" CPU bay	15"-18"	48x30x30	1,466
-----------------------	-------------	---------	----------	-------

ITEM NUMBER	Single flipIT Station / Double Bay	VDT	SIZE	LIST
-------------	------------------------------------	-----	------	------

Single flipIT Integrated LCD Workstation with 20" Convertible CPU/Storage Cabinet™, 10" Tower CPU Bay, Keyboard/mouse platform, Integral Wire Management™

SFI-603030-CKF	10" (left) & 20" (right) CPU bays	15"-18"	60x30x30	1,690
-----------------------	-----------------------------------	---------	----------	-------

Single flipIT Integrated LCD Workstation with Two 20" Convertible CPU/Storage Cabinets™, Keyboard/mouse platform, Integral Wire Management™

SFI-723030-CKF	2-20" CPU bays	15"-18"	72x30x30	1,828
-----------------------	----------------	---------	----------	-------

ITEM NUMBER	Double flipIT Workstations	VDT	SIZE	LIST
Double flipIT Integrated LCD Workstation with 13"w Thin Client CPU bay, Keyboard/mouse platforms, Integral Wire Management™				
DFI-603030-TKF	Center 13"w Thin Client CPU bay	15"-18"	60x30x30	2,155
Double flipIT Integrated LCD Workstation with Two 10" Tower CPU bays, Keyboard/mouse platforms, Integral Wire Management™				
DFI-723030-TKF	2-10" CPU bays	15"-18"	72x30x30	2,172
DFI-883030-TKF	2-10" CPU bays	15"-18"	88x30x30	2,362
Double flipIT Integrated LCD Workstation with 20" Convertible CPU Cabinet™, Keyboard/mouse platforms, Integral Wire Management™				
DFI-883030-CKF	Center 20" CPU bay	15"-18"	88x30x30	2,414
Double flipIT Integrated LCD Workstation with 20" Convertible CPU/Storage Cabinet™, Two 10" Tower CPU Bays, Keyboard/mouse platforms, Integral Wire Management™				
DFI-963030-CKF	2-10" (sides) & 1-20" (center) CPU bays	15"-18"	96x30x30	2,483

ITEM NUMBER	Instructor's flipIT Stations	VDT	SIZE	LIST
Instructor's flipIT Integrated LCD Workstation with Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Keyboard/mouse platform, Integral Wire Management™				
IFI-603030-CKF	10" & 20"w CPU bays	15"-18"	60x30x30	2,172
Instructor's flipIT Integrated LCD Workstation with Two Locking 20" Convertible CPU/Storage Cabinet™, Keyboard/mouse platform, Integral Wire Management™				
IFI-723030-CKF	2-20"w CPU bays	15"-18"	72x36x30	2,241

SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
DW10	10 Dual-wheel locking casters (50mm) with steel panel support braces.	224
DW12	12 Dual-wheel locking casters (50mm) with steel panel support braces.	241
RAP	Rear Access Panel. 6" x 9" opening provides access at back or side of CPU bay.	76
RAD	Locking rear or side CPU bay access door.	155
PS1	Pull-Out Shelf on heavy-duty, full-extension glides in 10" CPU bay.	166
PS2	Pull-Out Shelf on heavy-duty, full-extension glides in 20" CPU bay	166
SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66

SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
SUFFIX	Top Connectors/Extenders	LIST
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
SUFFIX	Security	LIST
LOK	flipIT™ Mechanism Lock (installed in worksurface)	52
LB1	Locking 10" w CPU Bay Door	129
DB1	Locking 10" w CPU Bay Utility Drawer	121
SUFFIX	Custom Modifications/Conversions	LIST
CUT	Custom cut-out w/finished edges for doc-cam, projector, etc	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single DT Workstations / Single Bay	VDT	SIZE	LIST
Single Desktop Monitor Workstation with 10" CPU bay, pullout keyboard/mouse platform, Integral Wire Management™				
SDT-363030-TK9	10" w CPU bay	14"-21"	36x30x30	759
SDT-363630-TK1	10" w CPU bay	14"-21"	36x36x30	828
SDT-443030-TK9	10" w CPU bay	14"-21"	44x30x30	862
SDT-443630-TK1	10" w CPU bay	14"-21"	44x36x30	983

Single Desktop Monitor Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platform, Integral Wire Management™

SDT-443030-CK9	20" w CPU bay	14"-21"	44x30x30	862
SDT-443630-CK1	20" w CPU bay	14"-21"	44x36x30	983
SDT-483030-CK9	20" w CPU bay	14"-21"	48x30x30	924
SDT-483630-CK1	20" w CPU bay	14"-21"	48x36x30	1,000

ITEM NUMBER	Single DT Workstations / Double Bay	VDT	SIZE	LIST
-------------	-------------------------------------	-----	------	------

Single Desktop Monitor Workstation with 20" Convertible CPU/Storage Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™

SDT-603030-CK9	20" w (right) & 10" w (left) CPU bays	14"-21"	60x30x30	1,086
SDT-603630-CK1	20" w (right) & 10" w (left) CPU bays	14"-21"	60x36x30	1,190

Single Desktop Monitor Workstation with Two 20" Convertible CPU/Storage Cabinets™, Pullout keyboard/mouse platform, Integral Wire Management™

SDT-723030-CK9	2-20" w CPU bays	14"-21"	72x30x30	1,259
SDT-723630-CK1	2-20" w CPU bays	14"-21"	72x36x30	1,466

ITEM NUMBER	Double DT Workstations	VDT	SIZE	LIST
Double Desktop Monitor Workstation with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™				
DDT-663030-CK9	20" w Center CPU bay	14"-21"	66x30x30	1,328
DDT-723030-CK9	20" w Center CPU bay	14"-21"	72x30x30	1,379
DDT-723630-CK1	20" w Center CPU bay	14"-21"	72x36x30	1,431
DDT-883030-CK9	20" w Center CPU bay	14"-21"	88x30x30	1,655
DDT-883630-CK1	20" w Center CPU bay	14"-21"	88x36x30	1,759

Double Desktop Monitor Workstation with Two 10" Tower CPU bays, pullout keyboard/mouse platforms, Integral Wire Management™

DDT-723030-TK9	2-10" w CPU bays	14"-21"	72x30x30	1,379
DDT-723630-TK1	2-10" w CPU bays	14"-21"	72x36x30	1,431
DDT-883030-TK9	2-10" w CPU bays	14"-21"	88x30x30	1,586
DDT-883630-TK1	2-10" w CPU bays	14"-21"	88x36x30	1,690

Double Desktop Monitor Workstation with 20" Convertible CPU/Storage Cabinet™, Two 10" Tower CPU Bays, Pullout keyboard/mouse platforms, Integral Wire Management™

DDT-963030-CK9	20" w (center) & 2-10" (sides) w CPU bays	14"-21"	96x30x30	1,638
DDT-963630-CK1	20" w (center) & 2-10" (sides) w CPU bays	14"-21"	96x36x30	1,741

ITEM NUMBER	Triple DT Workstations	VDT	SIZE	LIST
Triple Desktop Monitor Workstation with 20" Convertible CPU Cabinet™, 10" Tower CPU Bay, Pullout keyboard/mouse platforms, Integral Wire Management™				
TDT-103030-CK9	20" w & 10" w CPU bays	14"-21"	100x30x30	2,207
TDT-103630-CK1	20" w & 10" w CPU bays	14"-21"	100x36x30	2,448

ITEM NUMBER	Single Youth PC DT Stations without keyboard tray	VDT	SIZE	LIST
-------------	---	-----	------	------

Single Desktop Monitor PC Station, 10" tower CPU bay, Integral Wire Management™ without keyboard tray

SDT-333028-Tx7	Grade 9 to Adult	14"-19"	33x30x28	672
SDT-333026-Tx7	Grade 5 thru 8	14"-19"	33x30x26	672
SDT-333024-Tx7	Grade K thru 4	14"-19"	33x30x24	672
SDT-333036-Tx7	Adult Stand Up	14"-19"	33x30x36	741

ITEM NUMBER	Double Youth PC DT Stations without keyboard trays	VDT	SIZE	LIST
-------------	--	-----	------	------

Double Desktop Monitor PC Station, 18.5" Convertible CPU Cabinet™, Integral Wire Management™ without keyboard trays

DDT-603028-Cx7	Grade 9 to Adult	14"-19"	60x30x28	1,000
DDT-603026-Cx7	Grade 5 thru 8	14"-19"	60x30x26	1,000
DDT-603024-Cx7	Grade K thru 4	14"-19"	60x30x24	1,000
DDT-603036-Cx7	Adult Stand Up	14"-19"	60x30x36	1,103

ITEM NUMBER	Triple Youth PC DT Stations without keyboard trays	VDT	SIZE	LIST
-------------	--	-----	------	------

Triple Desktop Monitor PC Station, 18.5" Convertible CPU Cabinet™, 10" tower CPU bay, Integral Wire Management™ without keyboard trays

TDT-903028-Cx7	Grade 9 to Adult	14"-19"	90x30x28	1,466
TDT-903026-Cx7	Grade 5 thru 8	14"-19"	90x30x26	1,466
TDT-903024-Cx7	Grade K thru 4	14"-19"	90x30x24	1,466
TDT-903036-Cx7	Adult Stand Up	14"-19"	90x30x36	1,569

ITEM NUMBER	Single DT CRT Stations with IntegratedCPU without CPU bay and keyboard tray	VDT	SIZE	LIST
-------------	--	-----	------	------

Single Desktop CRT Stations with Integrated CPU, Integral Wire Management™, optional keyboard tray, without CPU bay.

SDT-303028-xxM	Grade 9 to Adult	15"-17"	30x30x28	569
SDT-303026-xxM	Grade 5 thru 8	15"-17"	33x30x26	569
SDT-303024-xxM	Grade K thru 4	15"-17"	33x30x24	569
SDT-303036-xxM	Adult Stand Up	15"-17"	33x30x36	638

ITEM NUMBER	Double DT CRT Stations with IntegratedCPU without CPU bay and keyboard tray	VDT	SIZE	LIST
-------------	--	-----	------	------

Double Desktop CRT Stations with Integrated CPU, Integral Wire Management™, optional keyboard trays, without CPU bay.

DDT-603028-xxM	Grade 9 to Adult	15"-17"	60x30x28	845
DDT-603026-xxM	Grade 5 thru 8	15"-17"	60x30x26	845
DDT-603024-xxM	Grade K thru 4	15"-17"	60x30x24	845
DDT-603036-xxM	Adult Stand Up	15"-17"	60x30x36	914

ITEM NUMBER	Triple DT CRT Stations with IntegratedCPU without CPU bay and keyboard tray	VDT	SIZE	LIST
-------------	--	-----	------	------

Triple Desktop CRT Stations with Integrated CPU, Integral Wire Management™, optional keyboard trays, without CPU bays.

TDT-903028-xxM	Grade 9 to Adult	15"-17"	90x30x28	1,276
TDT-903026-xxM	Grade 5 thru 8	15"-17"	90x30x26	1,276
TDT-903024-xxM	Grade K thru 4	15"-17"	90x30x24	1,276
TDT-903036-xxM	Adult Stand Up	15"-17"	90x30x36	1,362

ITEM NUMBER	Instructor's DT Stations	VDT	SIZE	LIST
Instructor's Desktop Monitor Workstation with Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Pullout keyboard/mouse platform, Integral Wire Management™				
IDT-603030-CK9	20" w (right) & 10" w (left) locking CPU bays	14"-19"	60x30x30	1,700
IDT-603630-CK1	20" w (right) & 10" w (left) locking CPU bays	19"-21"	60x36x30	1,862

Instructor's Desktop Monitor Workstation with Two Locking 20" Convertible CPU/Storage Cabinet™, Pullout keyboard/mouse platform, Integral Wire Management™

IDT-723030-CK9	2-20" w locking CPU bays	14"-19"	72x30x30	1,741
IDT-723630-CK1	2-20" w locking CPU bays	19"-21"	72x36x30	1,914

ITEM NUMBER	Instructor's DT Sit-Stand Lectern/Desk	VDT	SIZE	LIST
Instructor's Sit-Stand Lectern/Desk with Desktop Monitor, Locking 20" Convertible CPU/Storage Cabinet™, Locking 10" Tower CPU Bay, Articulated keyboard/mouse platform (15.5" height range), Integral Wire Management™, Removable Desktop Podium				
IDT-603030-CA9	20" w (right) & 10" w (left) locking CPU bays	14"-19"	60x36x30	2,621
IDT-603630-CA1	20" w (right) & 10" w (left) locking CPU bays	19"-21"	60x36x30	2,784

Instructor's Sit-Stand Lectern/Desk with Desktop Monitor, Two Locking 20" Convertible CPU/Storage Cabinet™, Articulated keyboard/mouse platform (15.5" height range), Integral Wire Management™, Removable Desktop Podium

IDT-723030-CA9	2-20" w locking CPU bays	14"-19"	72x30x30	2,660
IDT-723630-CA1	2-20" w locking CPU bays	19"-21"	72x36x30	2,836

SUFFIX	Ergonomic Keyboard/Mouse Platforms	LIST
AK1	Articulated, single-arm, keyboard/mouse tray. Height, swivel and tilt adjustability. Gel wrist rests. Meets ADA requirements.	463
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	91
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
ST3	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 24" Track. Sit-Stand arm provides height (12" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest.	483
KE1	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest.	434
KE13	Articulated, single-arm keyboard/mouse tray with non-skid pads and dual mousing surfaces. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 25" Gel wrist rest.	321
SUFFIX	Ergonomic Monitor Arms	LIST
HOC	Monitor Arm with ratchet mechanism - clamp base	196
HOG	Monitor Arm with ratchet mechanism - grommet base	196
MAC	Monitor Arm with pneumatic mechanism - clamp base	472
MAG	Monitor Arm with pneumatic mechanism - grommet base	472
SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW4	4 Dual-wheel locking casters (50mm) with steel panel support braces.	155
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
DW10	10 Dual-wheel locking casters (50mm) with steel panel support braces.	224
DW12	12 Dual-wheel locking casters (50mm) with steel panel support braces.	241
RAP	Rear Access Panel. 6" x 9" opening provides access at back or side of CPU bay.	76
RAD	Locking rear or side CPU bay access door.	155
PS1	Pull-Out Shelf on heavy-duty, full-extension glides in 10" CPU bay.	166
PS2	Pull-Out Shelf on heavy-duty, full-extension glides in 20" CPU bay	166

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Top Connectors/Extenders	LIST
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
A36-xx	Angle connector for 36" deep worksurfaces (Specify Angle)	155
WTP1	10" wide x 18" deep Pull-out Writing Tablet (10" CPU bays)	121
WTP2	20" wide x 18" deep Pull-out Writing Tablet (20" CPU bays)	129
WTC1	10" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (10" CPU bays)	136
WTC2	20" wide x 18" deep Pull-out Writing Tablet w/Cup Holder (20" CPU bays)	145
SUFFIX	Security	LIST
LB1	Locking 10" w CPU Bay Door	129
LB2	Locking 20" w CPU Bay Door	138
DB1	Locking 10" w CPU Bay Utility Drawer	121
DB2	Locking 20" w CPU Bay Utility Drawer	145
MCL	Monitor cable lock (Universal PC Kit BMS-IC).	64
LCL	Laptop cable lock - 5' steel cable & resetable combination lock.	77
SUFFIX	Custom Modifications/Conversions	LIST
CUT	Custom cut-out w/finished edges for doc-cam, projector, etc	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single Laptop (Notebook) Stations with Power/Data Port	VDT	SIZE	LIST
-------------	--	-----	------	------

Single Laptop/Notebook Station with Power/Data Port, Integral Wire Management™

SLT-302428-xxL	Grade 9 to Adult	Laptop	30x24x28	603
SLT-302426-xxL	Grade 5 thru 8	Laptop	30x24x26	603
SLT-302424-xxL	Grade K thru 4	Laptop	30x24x24	603
SLT-302436-xxL	Adult Stand Up	Laptop	30x24x36	672

ITEM NUMBER	Double Laptop (Notebook) Stations with Power/Data Port	VDT	SIZE	LIST
-------------	--	-----	------	------

Double Laptop/Notebook Station with Two Power/Data Ports, Integral Wire Management™

DLT-602428-xxL	Grade 9 to Adult	Laptop	60x24x28	1,072
DLT-602426-xxL	Grade 5 thru 8	Laptop	60x24x26	1,072
DLT-602424-xxL	Grade K thru 4	Laptop	60x24x24	1,072
DLT-602436-xxL	Adult Stand Up	Laptop	60x24x36	1,141

ITEM NUMBER	Triple Laptop (Notebook) Stations with Power/Data Port	VDT	SIZE	LIST
-------------	--	-----	------	------

Triple Laptop/Notebook Station with Three Power/Data Ports, Integral Wire Management™

TLT-902428-xxL	Grade 9 to Adult	Laptop	90x24x28	1,448
TLT-902426-xxL	Grade 5 thru 8	Laptop	90x24x26	1,448
TLT-902424-xxL	Grade K thru 4	Laptop	90x24x24	1,448
TLT-902436-xxL	Adult Stand Up	Laptop	90x24x36	1,517

ITEM NUMBER	Instructor's LT Station	VDT	SIZE	LIST
Instructor's Laptop Workstation with Power/Data Port, Locking 20" and 10" storage cabinets, Integral Wire Management™				
ILT-602430-CxL	20"w & 10"w Locking storage bays	14"-21"	60x36x30	1,700
ILT-603030-CxL	20"w & 10"w Locking storage bays	14"-21"	60x36x30	1,862

Instructor's Laptop Workstation with Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™				
ILT-722430-CxL	/2-20" w locking storage bays	14"-21"	72x30x30	1,741
ILT-723030-CxL	/2-20" w locking storage bays	14"-21"	72x36x30	1,914

ITEM NUMBER	Instructor's LT Station with Articulated Laptop Platform	VDT	SIZE	LIST
Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Locking 10" and 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-602430-CAL	20" w & 10" w CPU bays	14"-21"	60x36x30	2,621
ILT-603030-CAL	20" w & 10" w CPU bays	14"-21"	60x36x30	2,784

Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-722430-CAL	2-20" w CPU bays	14"-21"	72x30x30	2,660
ILT-723030-CAL	2-20" w CPU bays	14"-21"	72x36x30	2,836

Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-722430-CAL	2-20" w CPU bays	14"-21"	72x30x30	2,660
ILT-723030-CAL	2-20" w CPU bays	14"-21"	72x36x30	2,836

Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-722430-CAL	2-20" w CPU bays	14"-21"	72x30x30	2,660
ILT-723030-CAL	2-20" w CPU bays	14"-21"	72x36x30	2,836

Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-722430-CAL	2-20" w CPU bays	14"-21"	72x30x30	2,660
ILT-723030-CAL	2-20" w CPU bays	14"-21"	72x36x30	2,836

Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-722430-CAL	2-20" w CPU bays	14"-21"	72x30x30	2,660
ILT-723030-CAL	2-20" w CPU bays	14"-21"	72x36x30	2,836

Instructor's Sit-Stand Lectern/Desk Laptop Workstation with Articulating Laptop Arm (locking drawer), Power/Data Port, Two Locking 20" storage cabinets, Integral Wire Management™ , Removable Desktop Podium				
ILT-722430-CAL	2-20" w CPU bays	14"-21"	72x30x30	2,660
ILT-723030-CAL	2-20" w CPU bays	14"-21"	72x36x30	2,836

SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW4	4 Dual-wheel locking casters (50mm) with steel panel support braces.	155
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGK	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Top Connectors/Extenders	LIST
A24-xx	Angle connector for 24" deep worksurfaces (Specify Angle)	110
SUFFIX	Security	LIST
LCL	Laptop cable lock - 5' steel cable & resetable combination lock.	77
NBL	NB Laptop Locker - Pull-out Laptop computer support/drawer with security lock.	253
SUFFIX	Custom Modifications/Conversions	LIST
CUT	Custom cut-out w/finished edges for doc-cam, projector, etc	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single SnapFlex™ CRT Workstations	VDT	Size	LIST
-------------	-----------------------------------	-----	------	------

Single SNAPflex™ Semi-Recessed CRT Workstation with 19.25" Convertible CPU bay-Right, Fixed 16" deep full-width keyboard/mouse platform (28"h), adjustable VDT shelf, Removable 21.25" w x 20" d rear deck, concealed accessible wire trough.

SSF-423628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	42x36x28	707
SSF-483628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	48x36x28	707
WSF-483632-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck. Meets ADA requirements for wheelchair access.	14" - 19"	48x36x32	707

ITEM NUMBER	Single SnapFlex™ LCD Workstations	VDT	Size	LIST
-------------	-----------------------------------	-----	------	------

Single SNAPflex™ Semi-Recessed LCD Workstation with 19.25" Convertible CPU bay-Right, Fixed 16" deep full-width keyboard/mouse platform (28"h), adjustable VDT shelf, Removable 21.25" w x 14" d rear deck, concealed accessible wire trough.

SSF-423028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	42x30x28	707
SSF-483028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	48x30x28	707
WSF-483032-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck. Meets ADA requirements for wheelchair access.	LCD	48x30x32	707

Single SNAPflex™ Semi-Recessed LCD Workstation with 19.25" Convertible CPU bay-Right, Fixed 20" deep full-width keyboard/mouse platform (28"h), adjustable VDT shelf, Removable 21.25" w x 14" d rear deck, concealed accessible wire trough.

SSF-423428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	42x34x28	707
SSF-483428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	48x34x28	707
WSF-483432-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck. Meets ADA requirements for wheelchair access.	LCD	48x34x32	707

ITEM NUMBER	Single Shared CRT Double Workstation	VDT	Size	LIST
SNAPflex™ Semi-Recessed Center CRT Double Workstation with 19.25" Convertible CPU bay-Center, Fixed 16" deep full-width keyboard/mouse platform (28"h), adjustable Center VDT shelf, Two removable 20" deep side rear decks, concealed accessible wire trough.				
SSF-603628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	60x36x28	1,103
SSF-663628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	66x36x28	1,103
SSF-723628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	72x36x28	1,172
SSF-783628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	78x36x28	1,172

ITEM NUMBER	Single Shared LCD Double Workstation	VDT	Size	LIST
SNAPflex™ Semi-Recessed Center LCD Double Workstation with 19.25" Convertible CPU bay-Center, Fixed 16" deep full-width keyboard/mouse platform (28"h), adjustable Center VDT shelf, Two removable 14" deep side rear decks, concealed accessible wire trough.				
SSF-603028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	60x30x28	1,103
SSF-663028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	66x30x28	1,103
SSF-723028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	72x30x28	1,172
SSF-783028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	78x30x28	1,172

SNAPflex™ Semi-Recessed Center LCD Double Workstation with 19.25" Convertible CPU bay-Center, Fixed 20" deep full-width keyboard/mouse platform (28"h), adjustable Center VDT shelf, Two removable 14" deep side rear decks, concealed accessible wire trough.

SSF-603428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	60x34x28	1,103
SSF-663428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	66x34x28	1,103
SSF-723428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	72x34x28	1,172
SSF-783428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	78x34x28	1,172

ITEM NUMBER	Double CRT Workstations	VDT	Size	LIST
Double SNAPflex™ Semi-Recessed CRT Workstation with 19.25" Convertible CPU bay-Center, Fixed 16" deep full-width keyboard/mouse platform (28"h), adjustable VDT shelves, Removable 21.25" w x 20" deep rear deck, concealed accessible wire trough.				
DSF-603628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	60x36x28	1,103
DSF-663628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	66x36x28	1,103
DSF-723628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	72x36x28	1,172
DSF-783628-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	78x36x28	1,172

ITEM NUMBER	Double LCD Workstations	VDT	Size	LIST
Double SNAPflex™ Semi-Recessed LCD Workstation with 19.25" Convertible CPU bay-Center, Fixed 16" deep full-width keyboard/mouse platform (28"h), adjustable VDT shelves, Removable 21.25" w x 14" deep rear deck, concealed accessible wire trough.				
DSF-603028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	60x30x28	1,103
DSF-663028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	66x30x28	1,103
DSF-723028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	72x30x28	1,172
DSF-783028-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	78x30x28	1,172

Double SNAPflex™ Semi-Recessed LCD Workstation with 19.25" Convertible CPU bay-Center, Fixed 20" deep full-width keyboard/mouse platform (28"h), adjustable VDT shelves, Removable 21.25" w x 14" deep rear deck, concealed accessible wire trough.

DSF-603428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	60x34x28	1,103
DSF-663428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	66x34x28	1,103
DSF-723428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	72x34x28	1,172
DSF-783428-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	78x34x28	1,172

ITEM NUMBER	Stand-up CRT Lectern/Desks	VDT	SIZE	LIST
-------------	----------------------------	-----	------	------

Single SNAPflex™ Stand-Up Semi-Recessed CRT Lectern/Desk with 19.25" Convertible CPU bay-Right, Fixed 16" deep full-width keyboard/mouse platform (36"h), adjustable VDT shelf, Removable 21.25" w x 20" deep rear deck, concealed accessible wire trough.

MSF-423636-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	42x36x36	1,483
-----------------------	--	-----------	----------	-------

MSF-483636-C19	19.25" CPU bay/16" keyb'd surface/20"rear deck	14" - 19"	48x36x36	1,483
-----------------------	--	-----------	----------	-------

ITEM NUMBER	Stand-up LCD Lectern/Desks	VDT	SIZE	LIST
-------------	----------------------------	-----	------	------

Single SNAPflex™ Stand-Up Semi-Recessed LCD Lectern/Desk with 19.25" Convertible CPU bay-Right, Fixed 16" deep full-width keyboard/mouse platform (36"h), adjustable VDT shelf, Removable 21.25" w x 14" deep rear deck, concealed accessible wire trough.

MSF-423036-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	42x30x36	1,483
-----------------------	--	-----	----------	-------

MSF-483036-C1F	19.25" CPU bay/16" keyb'd surface/14"rear deck	LCD	48x30x36	1,483
-----------------------	--	-----	----------	-------

Single SNAPflex™ Stand-Up Semi-Recessed LCD Lectern/Desk with 19.25" Convertible CPU bay-Right, Fixed 20" deep full-width keyboard/mouse platform (36"h), adjustable VDT shelf, Removable 21.25" w x 14" deep rear deck, concealed accessible wire trough.

MSF-423436-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	42x34x36	1,483
-----------------------	--	-----	----------	-------

MSF-483436-C2F	19.25" CPU bay/20" keyb'd surface/14"rear deck	LCD	48x34x36	1,483
-----------------------	--	-----	----------	-------

SUFFIX	Ergonomic Keyboard/Mouse Platforms	LIST
KH1	Perforated Metal Keyboard Holster - Black	127
SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW6	6 Dual-wheel locking casters (50mm) with steel panel support braces.	190
DW8	8 Dual-wheel locking casters (50mm) with steel panel support braces.	207
PS2	Pull-Out Shelf on heavy-duty, full-extension glides in CPU bay	166
SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex outlet and two RJ-45 data ports with hide-away cover that slides open and down at back of case (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	179
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAW	Rack-Mount Rails for A/V and computer equipment may be mounted in all SMARTdesks™ Convertible CPU/Storage Cabinets.	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection.	66

SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	224
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Security	LIST
LB2	Locking 20" w CPU Bay Door	138
DB2	Locking 20" w CPU Bay Utility Drawer	145
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features	64
LCL	Laptop cable lock - 5' steel cable & resetable combination lock.	77

SUFFIX	Custom Modifications/Conversions	LIST
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
LTP	HP Laminate finish on SnapFlex top surfaces	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

SUFFIX	SnapFlex Conversions	LIST
SRD-2114	SnapFlex Rear Deck - 21"w x 14"d replacement	69
SRD-2120	SnapFlex Rear Deck - 21"w x 20"d replacement	69
SKD-4416	SnapFlex Keyboard/Mouse/Writing Surface - 44"w x 16"d replacement	138
SKD-4816	SnapFlex Keyboard/Mouse/Writing Surface - 48"w x 16"d replacement	138
SKD-6016	SnapFlex Keyboard/Mouse/Writing Surface - 60"w x 16"d replacement	172
SKD-6616	SnapFlex Keyboard/Mouse/Writing Surface - 66"w x 16"d replacement	172
SKD-7216	SnapFlex Keyboard/Mouse/Writing Surface - 72"w x 16"d replacement	207
SKD-7816	SnapFlex Keyboard/Mouse/Writing Surface - 78"w x 16"d replacement	207
SKD-4420	SnapFlex Keyboard/Mouse/Writing Surface - 44"w x 20"d replacement	155
SKD-4820	SnapFlex Keyboard/Mouse/Writing Surface - 48"w x 20"d replacement	155
SKD-6020	SnapFlex Keyboard/Mouse/Writing Surface - 60"w x 20"d replacement	190
SKD-6620	SnapFlex Keyboard/Mouse/Writing Surface - 66"w x 20"d replacement	190
SKD-7220	SnapFlex Keyboard/Mouse/Writing Surface - 72"w x 20"d replacement	224
SKD-7820	SnapFlex Keyboard/Mouse/Writing Surface - 78"w x 20"d replacement	224

ITEM NUMBER	MPLEX SR Monitor Single Bay Lectern	VDT	SIZE	LIST
MPLEX Single Bay Lectern with Semi-Recessed Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™				
MSR-303042-LK9	MPLEX SR Single Bay Lectern	14"-19"	30x30x42	1,817
MSR-363042-LK9	MPLEX SR Single Bay Lectern	14"-19"	36x30x42	2,059
MSR-363642-LK1	MPLEX SR Single Bay Lectern	19"-21"	36x36x42	2,579

ITEM NUMBER	MPLEX SR Monitor Single Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Single Bay Lectern with Semi-Recessed Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™ . Front and sides with Classic detail.				
PSR-303042-LK9	Classic MPLEX SR Single Bay Lectern	14"-19"	30x30x42	3,221
PSR-363042-LK9	Classic MPLEX SR Single Bay Lectern	14"-19"	36x30x42	3,407
PSR-363642-LK1	Classic MPLEX SR Single Bay Lectern	19"-21"	36x36x42	3,928

ITEM NUMBER	MPLEX SR Single Bay Lectern - Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Single Bay Lectern with Semi-Recessed Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™ . Doors, Front and Sides with Classic detail.				
PSR-303042-PK9	Classic MPLEX SR Single Bay Lectern	14"-19"	30x30x42	3,531
PSR-363042-PK9	Classic MPLEX SR Single Bay Lectern	14"-19"	36x30x42	3,738
PSR-363642-PK1	Classic MPLEX SR Single Bay Lectern	19"-21"	36x36x42	4,259

ITEM NUMBER	MPLEX SR Monitor Double Bay Lectern	VDT	SIZE	LIST
MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting and/or fan). Integral Wire Management™.				
MSR-543042-LK9	MPLEX SR Double Bay Lectern	14"-19"	54x30x42	3,310
MSR-543642-LK1	MPLEX SR Double Bay Lectern	19"-21"	54x36x42	4,038

MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™.				
MSR-603042-LK9	MPLEX SR Double Bay Lectern	14"-19"	60x30x42	3,434
MSR-603642-LK1	MPLEX SR Double Bay Lectern	19"-21"	60x36x42	4,203

ITEM NUMBER	MPLEX SR Double Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting). Integral Wire Management™. Front and Sides with Classic detail.				
PSR-543042-LK9	Classic MPLEX SR Double Bay Lectern	14"-19"	54x30x42	4,738
PSR-543642-LK1	Classic MPLEX SR Double Bay Lectern	19"-21"	54x36x42	5,466

Classic MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.				
PSR-603042-LK9	Classic MPLEX SR Double Bay Lectern	14"-19"	60x30x42	4,893
PSR-603642-LK1	Classic MPLEX SR Double Bay Lectern	19"-21"	60x36x42	5,662

Classic MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.				
PSR-603042-LK9	Classic MPLEX SR Double Bay Lectern	14"-19"	60x30x42	4,893
PSR-603642-LK1	Classic MPLEX SR Double Bay Lectern	19"-21"	60x36x42	5,662

Classic MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.				
PSR-603042-LK9	Classic MPLEX SR Double Bay Lectern	14"-19"	60x30x42	4,893
PSR-603642-LK1	Classic MPLEX SR Double Bay Lectern	19"-21"	60x36x42	5,662

ITEM NUMBER	MPLEX SR Double Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting). Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PSR-543042-PK9	Classic MPLEX SR Double Bay Lectern	14"-19"	54x30x42	5,459
PSR-543642-PK1	Classic MPLEX SR Double Bay Lectern	19"-21"	54x36x42	6,186
Classic MPLEX Double Bay Lectern with Semi-Recessed Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PSR-603042-PK9	Classic MPLEX SR Double Bay Lectern	14"-19"	60x30x42	5,614
PSR-603642-PK1	Classic MPLEX SR Double Bay Lectern	19"-21"	60x36x42	6,383

SUFFIX	Ergonomics - Keyboard Platforms	LIST
AK2	Articulated, dual-arm, keyboard/mouse tray. Full range (15.5" ht. range) sit-stand and tilt adjustability. Meets ADA requirements. Accommodates recessed monitors.	661
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	92
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
SUFFIX	Adjustability, Accessibility and Mobility	LIST
HDC	Heavy-Duty Locking Casters with steel hub and 100mm rubber wheels.	226
RAP	Snap-in access panel. 6" x 9" access to cables at back or side of Lectern.	83
RAD	Locking rear or side access door.	155
DIV	CPU/RAC Divider Panel w/top shelf (provides 14"w x 22"h interior) in 36"w bay ONLY	86
P1S	Pull-Out Access Shelf (available for 54" x 30" lecterns with 19.5"w auxiliary bay)	190
P2S	Pull-Out Access Shelf (available for 54" x 36" lecterns with 19.5"w auxiliary bay)	190
P3S	Pull-Out Access Shelf (available for 60" x 30" lecterns with 25.5"w auxiliary bay)	207
P4S	Pull-Out Access Shelf (available for 60"x 36" lecterns with 25.5"w auxiliary bay)	207
P7S	Pull-Out Shelf in full-width 30" Bay	224
P8S	Pull-Out Shelf in full-width 36" Bay	241
P9S	Pull-Out Shelf in 36" Bay with Divider Panel (DIV)	172
TKP	3"h platform provides accessibility for shorter users. Slides out from under toe-kick.	259
SPO	Side Pull-out Shelf with locking door. Available on 54" and 60" wide lecterns. Supports DocCam without taking up work space. The Side Pull-Out Shelf is 16"w x 26"d with 10"h opening. Door and shelf match base panel selection.	466
FUS	Lift-up side-mount shelf - thru bolted with mechanical bracket - 18" x 24"	172

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ - one duplex electrical outlet and two RJ-45 data connectors with hide-away cover that slides open and down at the back of the port (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	209
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAC	Optional Rack-Mount Rails. 19.25"w bay (54"w lecterns) - 18 spaces	172
RAC	Optional Rack-Mount Rails. 36"w main bay (36"w lecterns) requires DIV - 12 spaces	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected 6-outlet Power Strip with 10' cord and grounded plug	48
TIM	TimeKeeper adjustable speaker's timer with warning lights	240
SUFFIX	Task Lighting and Electric	LIST
CLASSIC	10"w Solid Brass Classic Lectern Light adds a touch of class along with controlled illumination. Works with 25w or 40w display bulb. Factory installed.	182
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	255
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
CLASSIC	Classic Lectern Light - 40w tungsten bulb	129

SUFFIX	Security	LIST
MCL	Monitor Cable Lock (Universal PC Kit BMS-IC). Equipment security system features Steel cable, key lock and cast metal plates with vinyl surfaces that are activated with super-bond adhesive-with over 700 lbs. of holding strength	64
MC9	Monitor Cap attaches to the worksurface and provides a clear glass window to view the screen and secure and protect the VDT. - up to 19" monitor (30" deep desk)	345
MC1	Monitor Cap attaches to the worksurface and provides a clear glass window to view the screen and secure and protect the VDT. - 19" to 21" monitor (36" deep desk)	379
SUFFIX	SR Conversion Panels	LIST
MF9	Convert SR Lectern to DT configuration. Monitor Filler Panel with DTG (30"d desk)	155
MF1	Convert SR Lectern to DT configuration. Half Monitor Filler Panel (36"d desk)	172
ML9	Convert SR Lectern to FP configuration. Half Monitor Filler Panel (30"d desk)	103
ML1	Convert SR Lectern to FP configuration. Monitor Filler Panel with DTG (36"d desk)	121
LF9	Convert SR Lectern to LT configuration. Monitor Filler Panel with PDP (30"d desk)	283
LF1	Convert SR Lectern to LT configuration. Monitor Filler Panel with PDP (36"d desk)	303
SUFFIX	Custom Modifications	LIST
CUT	Custom cut-out opening with finished edges for document camera, projector or other equipment located above an adjustable shelf in auxiliary bay. Optional filler panel is available. Provide template or dimensions of the opening.	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	MPLEX SR LCD Monitor Single Bay Lectern	VDT	SIZE	LIST
MPLEX Single Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™				
MFP-302642-LKF	MPLEX FP Single Bay Lectern	15"-19"	30x26x42	1,817
MFP-303042-LKF	MPLEX FP Single Bay Lectern	15"-19"	30x30x42	1,834
MFP-362642-LKF	MPLEX FP Single Bay Lectern	15"-19"	36x26x42	2,059
MFP-363042-LKF	MPLEX FP Single Bay Lectern	15"-19"	36x30x42	2,076

ITEM NUMBER	MPLEX SR LCD Single Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Single Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™. Front and Sides with Classic detail.				
PFP-302642-LKF	Classic MPLEX FP Single Bay Lectern	15"-19"	30x26x42	3,048
PFP-303042-LKF	Classic MPLEX FP Single Bay Lectern	15"-19"	30x30x42	3,221
PFP-362642-LKF	MPLEX SR Double Bay Lectern Classic Front, Sides	15"-19"	36x26x42	3,234
PFP-363042-LKF	Classic MPLEX FP Single Bay Lectern	15"-19"	36x30x42	3,407

ITEM NUMBER	MPLEX SR LCD Single Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Single Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PFP-302642-PKF	Classic MPLEX FP Single Bay Lectern	15"-19"	30x26x42	3,393
PFP-303042-PKF	Classic MPLEX FP Single Bay Lectern	15"-19"	30x30x42	3,531
PFP-362642-PKF	Classic MPLEX FP Single Bay Lectern	15"-19"	36x26x42	3,566
PFP-363042-PKF	Classic MPLEX FP Single Bay Lectern	15"-19"	36x30x42	3,738

ITEM NUMBER	MPLEX SR LCD Monitor Double Bay Lectern	VDT	SIZE	LIST
MPLEX Double Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting and/or fan). Integral Wire Management™.				
MFP-542642-LKF	MPLEX FP Double Bay Lectern	15"-19"	54x26x42	3,310
MFP-543042-LKF	MPLEX FP Double Bay Lectern	15"-19"	54x30x42	3,328
MPLEX Double Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™.				
MFP-602642-LKF	MPLEX FP Double Bay Lectern	15"-19"	60x26x42	3,434
MFP-603042-LKF	MPLEX FP Double Bay Lectern	15"-19"	60x30x42	3,452
ITEM NUMBER	MPLEX SR LCD Double Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 20.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™.				
PFP-542642-LKF	Classic MPLEX FP Double Bay Lectern	15"-19"	54x26x42	4,566
PFP-543042-LKF	Classic MPLEX FP Double Bay Lectern	15"-19"	54x30x42	4,738
Classic MPLEX Double Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.				
PFP-602642-LKF	Classic MPLEX FP Double Bay Lectern	15"-19"	60x26x42	4,928
PFP-603042-LKF	Classic MPLEX FP Double Bay Lectern	15"-19"	60x30x42	5,100

ITEM NUMBER	MPLEX SR LCD Double Bay Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 20.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PFP-542642-PKF	Classic MPLEX FP Double Bay Lectern	15"-19"	54x26x42	5,286
PFP-543042-PKF	Classic MPLEX FP Double Bay Lectern	15"-19"	54x30x42	5,459
Classic MPLEX Double Bay Lectern for Semi-Recessed LCD Flat Panel Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PFP-602642-PKF	Classic MPLEX FP Double Bay Lectern	15"-19"	60x26x42	5,648
PFP-603042-PKF	Classic MPLEX FP Double Bay Lectern	15"-19"	60x30x42	5,821

SUFFIX	Ergonomics - Keyboard Platforms	LIST
AK2	Articulated, dual-arm, keyboard/mouse tray. Full range (15.5" ht. range) sit-stand and tilt adjustability. Meets ADA requirements. Accommodates recessed monitors.	661
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	92
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
SUFFIX	Adjustability, Accessibility and Mobility	LIST
HDC	Heavy-Duty Locking Casters with steel hub and 100mm rubber wheels.	226
RAP	Snap-in access panel. 6" x 9" access to cables at back or side of Lectern.	83
RAD	Locking rear or side access door.	155
DIV	CPU/RAC Divider Panel w/top shelf (provides 14"w x 22"h interior) in 36"w bay ONLY	86
P1S	Pull-Out Access Shelf (available for 54" x 30" lecterns with 19.5"w auxiliary bay)	190
P2S	Pull-Out Access Shelf (available for 54" x 36" lecterns with 19.5"w auxiliary bay)	190
P3S	Pull-Out Access Shelf (available for 60" x 30" lecterns with 25.5"w auxiliary bay)	207
P4S	Pull-Out Access Shelf (available for 60"x 36" lecterns with 25.5"w auxiliary bay)	207
P7S	Pull-Out Shelf in full-width 30" Bay	224
P8S	Pull-Out Shelf in full-width 36" Bay	241
P9S	Pull-Out Shelf in 36" Bay with Divider Panel (DIV)	172
TKP	3"h platform provides accessibility for shorter users. Slides out from the toe-kick.	259
SPO	Side Pull-out Shelf with locking door. Available on 54" and 60" wide lecterns. Supports DocCam without taking up work space. The Side Pull-Out Shelf is 16"w x 26"d with 10"h opening. Door and shelf match base panel selection.	466
FUS	Lift-up side-mount shelf - thru bolted - 18" x 24"	172

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ - one duplex electrical outlet and two RJ-45 data connectors with hide-away cover that slides open and down at the back of the port (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Add'l plug-in modules are available).	209
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAC	Optional Rack-Mount Rails. 19.25"w bay (54"w lecterns) - 18 spaces	172
RAW	Optional Rack-Mount Rails. 36"w main bay (36"w lecterns) requires DIV - 12 spaces	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected 6 outlet Power Strip with 10' cord and grounded plug	48
TIM	TimeKeeper adjustable speaker's timer with warning lights	240
SUFFIX	Task Lighting and Electric	LIST
CLASSIC	10"w Solid Brass Classic Lectern Light adds a touch of class along with controlled illumination. Works with 25w or 40w display bulb. Factory installed.	182
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	255
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
CLASSIC	Classic Lectern Light - 40w tungsten bulb	129

SUFFIX	Security	LIST
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features Steel cable, key lock and cast metal plates with vinyl surfaces that are activated with super-bond adhesive-with over 700 lbs. of holding strength	64
SUFFIX	FP Conversion Panels	LIST
MFF	Convert FP Lectern to DT configuration. Monitor Filler Panel with DTG	138
LFF	Convert FP Lectern to LT configuration. Monitor Filler Panel with PDP	269
SUFFIX	Custom Modifications	LIST
CUT	Custom cut-out opening with finished edges for document camera, projector or other equipment located above an adjustable shelf in auxiliary bay. Optional filler panel is available. Provide template or dimensions of the opening.	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	MPLEX SS Single Bay Lectern	VDT	SIZE	LIST
MPLEX Single Bay Lectern for Sub-Surface Monitor with tempered, tinted glass monitor window. Main bay with Locking doors. CPU divider, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™.				
MSS-303042-LK9	MPLEX SS Single Bay Lectern	14"-19"	30x30x42	2,000
MSS-363042-LK9	MPLEX SS Single Bay Lectern	14"-19"	36x30x42	2,172
MSS-363642-LK1	MPLEX SS Single Bay Lectern	19"-21"	36x36x42	2,728

ITEM NUMBER	MPLEX SS Single Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Single Bay Lectern for Sub-Surface Monitor with tempered, tinted glass monitor window. Main bay with Locking doors, CPU divider, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™. Front and Sides with Classic detail.				

PSS-303042-LK9	MPLEX SR Double Bay Lectern Classic Front, Sides	14"-19"	30x30x42	3,334
PSS-363042-LK9	Classic MPLEX SS Single Bay Lectern	14"-19"	36x30x42	3,521
PSS-363642-LK1	Classic MPLEX SS Single Bay Lectern	19"-21"	36x36x42	4,076

ITEM NUMBER	MPLEX SS Single Bay Lectern Classic Doors, Front, Sides	VDT	SIZE	LIST
Classic MPLEX Single Bay Lectern for Sub-Surface Monitor with tempered, tinted glass monitor window. Main bay with Locking doors, CPU divider, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™. Doors, Front and Sides with Classic detail.				

PSS-303042-PK9	Classic MPLEX SS Single Bay Lectern	14"-19"	30x30x42	3,645
PSS-363042-PK9	Classic MPLEX SS Single Bay Lectern	14"-19"	36x30x42	3,852
PSS-363642-PK1	Classic MPLEX SS Single Bay Lectern	19"-21"	36x36x42	4,407

ITEM NUMBER	MPLEX SS Double Bay Lectern	VDT	SIZE	LIST
MPLEX Double Bay Lectern with Sub-Surface Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting and/or fan). Integral Wire Management™.				
MSS-543042-LK9	MPLEX SS Double Bay Lectern	14"-19"	54x30x42	3,403
MSS-543642-LK1	MPLEX SS Double Bay Lectern	19"-21"	54x36x42	4,162

MPLEX Double Bay Lectern with Sub-Surface Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Wire Management™.

MSS-603042-LK9	MPLEX SS Double Bay Lectern	14"-19"	60x30x42	3,510
MSS-603642-LK1	MPLEX SS Double Bay Lectern	19"-21"	60x36x42	4,303

ITEM NUMBER	MPLEX SR Double Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern with Sub-Surface Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting and/or fan). Integral Wire Management™. Front and Sides with Classic detail.				
PSS-543042-LK9	Classic MPLEX SS Double Bay Lectern	14"-19"	54x30x42	4,831
PSS-543642-LK1	Classic MPLEX SS Double Bay Lectern	19"-21"	54x36x42	5,590
Classic MPLEX Double Bay Lectern with Sub-Surface Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.				
PSS-603042-LK9	Classic MPLEX SS Double Bay Lectern	14"-19"	60x30x42	5,100
PSS-603642-LK1	Classic MPLEX SS Double Bay Lectern	19"-21"	60x36x42	5,969

ITEM NUMBER	MPLEX SS Double Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern with Sub-Surface Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack mounting and/or fan). Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PSS-543042-PK9	Classic MPLEX SS Double Bay Lectern	14"-19"	54x30x42	5,552
PSS-543642-PK1	Classic MPLEX SS Double Bay Lectern	19"-21"	54x36x42	6,310
Classic MPLEX Double Bay Lectern with Sub-Surface Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PSS-603042-PK9	Classic MPLEX SS Double Bay Lectern	14"-19"	60x30x42	5,897
PSS-603642-PK1	Classic MPLEX SS Double Bay Lectern	19"-21"	60x36x42	6,690

SUFFIX	Ergonomics - Keyboard Platforms	LIST
AK2	Articulated, dual-arm, keyboard/mouse tray. Full range (15.5" ht. range) sit-stand and tilt adjustability. Meets ADA requirements. Accommodates recessed monitors.	661
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	92
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
SUFFIX	Adjustability, Accessibility and Mobility	LIST
HDC	Heavy-Duty Locking Casters with steel hub and 100mm rubber wheels.	226
RAP	Snap-in access panel. 6" x 9" access to cables at back or side of Lectern.	83
RAD	Locking rear or side access door.	155
P1S	Pull-Out Access Shelf (available for 54" x 30" lecterns with 19.5"w auxiliary bay)	190
P2S	Pull-Out Access Shelf (available for 54" x 36" lecterns with 19.5"w auxiliary bay)	190
P3S	Pull-Out Access Shelf (available for 60" x 30" lecterns with 25.5"w auxiliary bay)	207
P4S	Pull-Out Access Shelf (available for 60"x 36" lecterns with 25.5"w auxiliary bay)	207
P9S	Pull-Out Shelf in 36" bay with divider panel (DIV)	172
TKP	3"h platform provides accessibility for shorter users. Slides out from the toe-kick.	259
SPO	Side Pull-out Shelf with locking door. Available on 54" and 60" wide lecterns. Supports DocCam without taking up work space. Side Pull-Out Shelf is 16"w x 26"d with 10"h opening. Door and shelf match base panel selection.	466
FUS	Lift-up side-mount shelf - thru bolted - 18" x 24"	172

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet - 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex electrical outlet and two RJ-45 data connectors. Hide-away cover slides open and down at the back of port.	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules available).	209
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAC	Optional Rack-Mount Rails. 19.25"w bay (54"w lecterns) - 18 spaces	172
RAW	Optional Rack-Mount Rails. Main bay (36"w lecterns) requires DIV - 12 spaces	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected 6 outlet Power Strip with 10' cord and grounded plug	48
TIM	TimeKeeper adjustable speaker's timer with warning lights	240
SUFFIX	Task Lighting and Electric	LIST
CLASSIC	10"w Solid Brass Classic Lectern Light adds a touch of class along with controlled illumination. Works with 25w or 40w display bulb. Factory installed.	182
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	255
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
CLASSIC	Classic Lectern Light - 40w tungsten bulb	129

SUFFIX	Security	LIST
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features Steel cable, key lock and cast metal plates with vinyl surfaces that are activated with super-bond adhesive-with over 700 lbs. of holding strength	64

SUFFIX	Custom Modifications	LIST
CUT	Custom cut-out opening with finished edges for document camera, projector or other equipment located above an adjustable shelf in auxiliary bay. Optional filler panel is available. Provide template or dimensions of the opening.	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	MPLEX flipIT Single Bay Lectern	VDT	SIZE	LIST
MPLEX Single Bay flipIT Integrated LCD Lectern, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, Integral Wire Management™				
MFI-303042-LKF	MPLEX Single Bay flipIT Lectern	LCD	30x30x42	2,041
MFI-363042-LKF	MPLEX Single Bay flipIT Lectern	LCD	36x30x42	2,283

ITEM NUMBER	MPLEX flipIT Single Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Single Bay flipIT Integrated LCD Lectern, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, Integral Wire Management. Front and Sides with Classic detail.				
PFI-303042-LKF	Classic MPLEX Single Bay flipIT Lectern	LCD	30x30x42	3,448
PFI-363042-LKF	Classic MPLEX Single Bay flipIT Lectern	LCD	30x30x42	3,631

ITEM NUMBER	MPLEX flipIT Single Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Single Bay flipIT Integrated LCD Lectern, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, Integral Wire Management. Doors, Front and Sides with Classic detail.				
PFI-303042-PFF	Classic MPLEX Single Bay flipIT Lectern	LCD	30x30x42	3,755
PFI-363042-PFF	Classic MPLEX Single Bay flipIT Lectern	LCD	36x30x42	3,962

ITEM NUMBER	MPLEX flipIT Double Bay Lectern	VDT	SIZE	LIST
MPLEX Double Bay flipIT Integrated LCD Lectern, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™.				
MFI-543042-LKF	MPLEX Double Bay flipIT Lectern	LCD	54x30x42	3,534

MPLEX Double Bay flipIT Integrated LCD Lectern, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™.

MFI-603042-LKF	MPLEX Double Bay flipIT Lectern	LCD	60x30x42	3,659
-----------------------	---------------------------------	-----	----------	-------

ITEM NUMBER	MPLEX flipIT Double Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
-------------	---	-----	------	------

Classic MPLEX Double Bay flipIT Integrated LCD Lectern, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.

PFI-543042-LKF	Classic MPLEX Double Bay flipIT Lectern	LCD	54x30x42	4,997
-----------------------	---	-----	----------	-------

Classic MPLEX Double Bay flipIT Integrated LCD Lectern, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.

PFI-603042-LKF	Classic MPLEX Double Bay flipIT Lectern	LCD	60x30x42	5,359
-----------------------	---	-----	----------	-------

ITEM NUMBER	MPLEX flipIT Double Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Double Bay flipIT Integrated LCD Lectern, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PFI-543042-PKF	Classic MPLEX Double Bay flipIT Lectern	LCD	54x30x42	5,734
Classic MPLEX Double Bay flipIT Integrated LCD Lectern, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Keyboard/mouse platform, 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PFI-603042-PKF	Classic MPLEX Double Bay flipIT Lectern	LCD	60x30x42	6,148

SUFFIX	Adjustability, Accessibility and Mobility	LIST
HDC	Heavy-Duty Locking Casters with steel hub and 100mm rubber wheels.	226
RAP	Snap-in access panel. 6" x 9" access to cables at back or side of Lectern.	83
RAD	Locking rear or side access door.	155
DIV	CPU/RAC Divider Panel w/top shelf (provides 14"w x 22"h interior) in 36"w bay ONLY	86
P7S	Pull-Out Shelf in full-width 30" Bay	224
P8S	Pull-Out Shelf in full-width 36" Bay	241
P9S	Pull-Out Shelf in 36" Bay with Divider Panel (DIV)	172
P1S	Pull-Out Access Shelf (available for 54" x 30" lecterns with 19.5"w auxiliary bay)	190
P2S	Pull-Out Access Shelf (available for 54" x 36" lecterns with 19.5"w auxiliary bay)	190
P3S	Pull-Out Access Shelf (available for 60" x 30" lecterns with 25.5"w auxiliary bay)	207
P4S	Pull-Out Access Shelf (available for 60"x 36" lecterns with 25.5"w auxiliary bay)	207
TKP	3"h platform provides accessibility for shorter users. Slides out from the toe-kick.	259
SPO	Side Pull-out Shelf with locking door. Available on 54" and 60" wide lecterns. Supports DocCam without taking up work space. Side Pull-Out Shelf is 16"w x 26"d with 10"h opening. Door and shelf match base panel selection.	466
FUS	Lift-up side-mount shelf - thru bolted - 18" x 24"	172

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ with one duplex outlet and two RJ-45 data connectors. Hide-away cover slides open and down at the back of the port.	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	209
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAC	Optional Rack-Mount Rails. 19.25"w bay (54"w lecterns) - 18 spaces	172
RAW	Optional Rack-Mount Rails. 36"w main bay (36"w lecterns) requires DIV - 12 spaces	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected 6-outlet Power Strip with 10' cord and grounded plug.	48
TIM	TimeKeeper adjustable speaker's timer with warning lights	240
SUFFIX	Task Lighting and Electric	LIST
CLASSIC	10"w Solid Brass Classic Lectern Light adds a touch of class along with controlled illumination. Works with 25w or 40w display bulb. Factory installed.	182
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	255
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
CLASSIC	Classic Lectern Light - 40w tungsten bulb	129

SUFFIX	Security	LIST
---------------	-----------------	-------------

LOK	flipIT™ Mechanism Lock (in worksurface)	52
------------	---	----

SUFFIX	Custom Modifications	LIST
---------------	-----------------------------	-------------

CUT	Custom cut-out opening with finished edges for document camera, projector or other equipment located above an adjustable shelf in auxiliary bay. Optional filler panel is available. Provide template or dimensions of the opening.	76
------------	---	----

CFP	Cut-out filler panel with DTG	155
------------	-------------------------------	-----

LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
------------	---	----------------------

CWD	Custom Width	Call For Quote
------------	--------------	----------------

CHT	Custom Height	Call For Quote
------------	---------------	----------------

CDP	Custom Depth	Call For Quote
------------	--------------	----------------

ITEM NUMBER	MPLEX DT Single Bay Lectern	VDT	SIZE	LIST
-------------	-----------------------------	-----	------	------

MPLEX Single Bay Lectern with Desktop Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™

MDT-303042-LK9	MPLEX Single Bay DT Lectern	all	30x30x42	1,645
MDT-363042-LK9	MPLEX Single Bay DT Lectern	all	30x30x42	1,886
MDT-363642-LK1	MPLEX Single Bay DT Lectern	all	30x30x42	1,990

ITEM NUMBER	MPLEX DT Single Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
-------------	---	-----	------	------

Classic MPLEX Single Bay Lectern with Desktop Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™ . Front and Sides with Classic detail.

PDT-303042-LK9	Clasic MPLEX Single Bay DT Lectern	all	30x30x42	3,052
PDT-363042-LK9	Clasic MPLEX Single Bay DT Lectern	all	30x30x42	3,234
PDT-363642-LK1	Clasic MPLEX Single Bay DT Lectern	all	30x30x42	3,638

ITEM NUMBER	MPLEX DT Single Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
-------------	--	-----	------	------

Classic MPLEX Single Bay Lectern with Desktop Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, Integral Wire Management™ . Doors, Front and Sides with Classic detail.

PDT-303042-PK9	Clasic MPLEX Single Bay DT Lectern	all	30x30x42	3,359
PDT-363042-PK9	Clasic MPLEX Single Bay DT Lectern	all	30x30x42	3,566
PDT-363642-PK1	Clasic MPLEX Single Bay DT Lectern	all	30x30x42	3,807

ITEM NUMBER	MPLEX DT Double Bay Lectern	VDT	SIZE	LIST
MPLEX Double Bay Lectern with Desktop Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack rails). Integral Wire Management™.				
MDT-543042-LK9	MPLEX Double Bay DT Lectern	all	54x30x42	3,138
MDT-543642-LK1	MPLEX Double Bay DT Lectern	all	54x36x42	3,241
MPLEX Double Bay Lectern with Desktop Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™.				
MDT-603042-LK9	MPLEX Double Bay DT Lectern	all	60x30x42	3,262
MDT-603642-LK1	MPLEX Double Bay DT Lectern	all	60x36x42	3,331
ITEM NUMBER	MPLEX DT Double Bay Lectern Classic Front, Sides	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern with Desktop Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 19.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack rails). Integral Wire Management™. Front and Sides with Classic detail.				
PDT-543042-LK9	Classic MPLEX Double Bay DT Lectern	all	54x30x42	4,566
PDT-543642-LK1	Classic MPLEX Double Bay DT Lectern	all	54x36x42	4,738
Classic MPLEX Double Bay Lectern with Desktop Monitor, Main bay w/Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, pullout keyboard/mouse platform, 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.				
PDT-603042-LK9	Classic MPLEX Double Bay DT Lectern	all	60x30x42	4,928
PDT-603642-LK1	Classic MPLEX Double Bay DT Lectern	all	60x36x42	5,100

ITEM NUMBER	MPLEX DT Double Bay Lectern Classic Front, Sides, Doors	VDT	SIZE	LIST
Classic MPLEX Double Bay Lectern with Desktop Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 20.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack rails). Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PDT-543042-PK9	Classic MPLEX Double Bay DT Lectern	all	54x30x42	5,303
PDT-543642-PK1	Classic MPLEX Double Bay DT Lectern	all	54x36x42	5,459
Classic MPLEX Double Bay Lectern with Desktop Monitor, Main bay with Locking doors, Ventilation fan, Remote-switched, surge-protected power strip, Pullout keyboard/mouse platform, 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Doors, Front and Sides with Classic detail.				
PDT-603042-PK9	Classic MPLEX Double Bay DT Lectern	all	60x30x42	5,717
PDT-603642-PK1	Classic MPLEX Double Bay DT Lectern	all	60x36x42	5,890

SUFFIX	Ergonomics - Keyboard Platforms	LIST
AK1	Articulated, single-arm, keyboard/mouse tray. Height, swivel and tilt adjustability. Gel wrist rests. Meets ADA requirements.	463
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	92
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
ST3	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 24" Track. Sit-Stand arm provides height (12" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards. Meets ADA requirements.	483
KE1	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards.	434
K13	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement and dual mousing surfaces. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 25" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Surpasses ANSI/BIFMA standards.	321
SUFFIX	Ergonomic - LCD Monitor Arms	LIST
HOC	Hopper™ Monitor Arm with ratchet mechanism - clamp base	207
HOG	Hopper™ Monitor Arm with ratchet mechanism - grommet base	207
MAC	Mantis™ Monitor Arm with pneumatic mechanism - clamp base	483
MAG	Mantis™ Monitor Arm with pneumatic mechanism - grommet base	483

SUFFIX	Adjustability, Accessibility and Mobility	LIST
HDC	Heavy-Duty Locking Casters with steel hub and 100mm rubber wheels.	226
RAP	Snap-in access panel. 6" x 9" access to cables at back or side of Lectern.	83
RAD	Locking rear or side access door.	155
DIV	CPU/RAC Divider Panel w/top shelf (provides 14"w x 22"h interior) in 36"w bay ONLY	86
P1S	Pull-Out Access Shelf (available for 54" x 30" lecterns with 19.5"w auxiliary bay)	190
P2S	Pull-Out Access Shelf (available for 54" x 36" lecterns with 19.5"w auxiliary bay)	190
P3S	Pull-Out Access Shelf (available for 60" x 30" lecterns with 25.5"w auxiliary bay)	207
P4S	Pull-Out Access Shelf (available for 60"x 36" lecterns with 25.5"w auxiliary bay)	207
P7S	Pull-Out Shelf in full-width 30" Bay	224
P8S	Pull-Out Shelf in full-width 36" Bay	241
P9S	Pull-Out Shelf in 36" Bay with Divider Panel (DIV)	172
TKP	3"h platform provides accessibility for shorter users. Slides out from the toe-kick.	259
SPO	Side Pull-out Shelf with locking door. Available on 54" and 60" wide lecterns. Supports DocCam without taking up work space. Side Pull-Out Shelf is 16"w x 26"d with 10"h opening. Door and shelf match base panel selection.	466
FUS	Lift-up side-mount shelf - thru bolted - 18" x 24"	172

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
PDP	Power/Data Port™ provides one duplex electrical outlet and two RJ-45 data connectors. Hide-away cover slides open and down at the back of the port (3" x 7").	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	209
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAC	Optional Rack-Mount Rails. 19.25"w bay (54"w lecterns) - 18 spaces	172
RAC	Optional Rack-Mount Rails. 36"w main bay (36"w lecterns) requires DIV - 12 spaces	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected 6-outlet Power Strip with 10' cord and grounded plug.	48
TIM	TimeKeeper adjustable speaker's timer with warning lights	240
SUFFIX	Task Lighting and Electric	LIST
CLASSIC	10"w Solid Brass Classic Lectern Light adds a touch of class along with controlled illumination. Works with 25w or 40w display bulb. Factory installed.	182
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	255
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
FAN	Electric Ventilation/Cooling Fan - Silent operation w/cord and plug - in CPU bay	121
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
CLASSIC	Classic Lectern Light - 40w tungsten bulb	129

SUFFIX	Security	LIST
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features Steel cable, key lock and cast metal plates with vinyl surfaces that are activated with super-bond adhesive-with over 700 lbs. of holding strength	64

SUFFIX	Custom Modifications	LIST
CUT	Custom cut-out opening with finished edges for document camera, projector or other equipment located above an adjustable shelf in auxiliary bay. Optional filler panel is available. Provide template or dimensions of the opening.	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	MPLEX Open Bay Lectern for Laptop	VDT	SIZE	LIST
-------------	-----------------------------------	-----	------	------

MPLEX Single Open Bay Laptop Lectern with surface-mounted Power/Data Port, Two fixed half-depth shelves.

MLT-302442-xxL	MPLEX Open Bay Lectern for Laptop	Laptop	30x24x42	1,248
-----------------------	-----------------------------------	--------	----------	-------

MLT-362442-xxL	MPLEX Open Bay Lectern for Laptop	Laptop	36x24x42	1,283
-----------------------	-----------------------------------	--------	----------	-------

ITEM NUMBER	MPLEX Open Bay Lectern for Laptop Classic Front, Sides	VDT	SIZE	LIST
-------------	---	-----	------	------

Classic MPLEX Single Open Bay Laptop Lectern with surface-mounted Power/Data Port, Two fixed half-depth shelves. Front and Sides with Classic detail

PLT-302442-xxL	Classic MPLEX Open Bay Lectern for Laptop	Laptop	30x24x42	2,617
-----------------------	---	--------	----------	-------

PLT-362442-xxL	Classic MPLEX Open Bay Lectern for Laptop	Laptop	36x24x42	2,803
-----------------------	---	--------	----------	-------

ITEM NUMBER	MPLEX Open Bay Lectern for Laptop	VDT	SIZE	LIST
-------------	-----------------------------------	-----	------	------

MPLEX Double Bay Laptop Lectern. Open bay with surface-mounted Power/Data Port and two fixed half-depth shelves. 20.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack rails). Integral Wire Management™

MLT-542442-xxL	MPLEX Double Bay Lectern for Laptop	Laptop	54x24x42	1,924
-----------------------	-------------------------------------	--------	----------	-------

MPLEX Double Bay Laptop Lectern. Open bay with surface-mounted Power/Data Port and two fixed half-depth shelves. 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™

MLT-602442-xxL	MPLEX Double Bay Lectern for Laptop	Laptop	60x24x42	2,259
-----------------------	-------------------------------------	--------	----------	-------

ITEM NUMBER	MPLEX Open Bay Lectern for Laptop Classic Front, Sides	VDT	SIZE	LIST
-------------	---	-----	------	------

Classic MPLEX Double Bay Laptop Lectern. Open bay with surface-mounted Power/Data Port and two fixed half-depth shelves. 20.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack rails). Integral Wire Management™. Front and Sides with Classic detail.

PLT-542442-LxL	Classic MPLEX Double Bay Lectern for Laptop	Laptop	54x24x42	4,007
-----------------------	---	--------	----------	-------

Classic MPLEX Double Bay Laptop Lectern. Open bay with surface-mounted Power/Data Port and two fixed half-depth shelves. 26.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Front and Sides with Classic detail.

PLT-602442-LxL	Classic MPLEX Double Bay Lectern for Laptop	Laptop	60x24x42	4,372
-----------------------	---	--------	----------	-------

ITEM NUMBER	MPLEX Open Bay Lectern for Laptop Classic Front, Sides, Door	VDT	SIZE	LIST
-------------	---	-----	------	------

Classic MPLEX Double Bay Laptop Lectern. Open bay with surface-mounted Power/Data Port and two fixed half-depth shelves. 20.25"w Auxiliary bay with locking door, two adjustable shelves (optional rack rails). Integral Wire Management™. Auxiliary bay with locking door, two adjustable shelves.

PLT-542442-PxL	Classic MPLEX Double Bay Lectern for Laptop	Laptop	54x24x42	4,728
-----------------------	---	--------	----------	-------

Classic MPLEX Double Bay Laptop Lectern. Open bay with surface-mounted Power/Data Port and two fixed half-depth shelves. 25.25"w Auxiliary bay with locking door, two adjustable shelves. Integral Wire Management™. Auxiliary bay door, Front and Sides with Classic detail.

PLT-602442-PxL	Classic MPLEX Double Bay Lectern for Laptop	Laptop	60x24x42	5,093
-----------------------	---	--------	----------	-------

SUFFIX	Adjustability, Accessibility and Mobility	LIST
HDC	Heavy-Duty Locking Casters with steel hub and 100mm rubber wheels.	226
RAP	Snap-in access panel. 6" x 9" access to cables at back or side of Lectern.	83
RAD	Locking rear or side access door.	155
P1S	Pull-Out Access Shelf (available for 54" x 30" lecterns with 19.5"w auxiliary bay)	190
P2S	Pull-Out Access Shelf (available for 54" x 36" lecterns with 19.5"w auxiliary bay)	190
P3S	Pull-Out Access Shelf (available for 60" x 30" lecterns with 25.5"w auxiliary bay)	207
P4S	Pull-Out Access Shelf (available for 60"x 36" lecterns with 25.5"w auxiliary bay)	207
SPO	Side Pull-out Shelf with locking door. Available on 54" and 60" wide lecterns. Supports Document Camera without taking up worksurface space. The Side Pull-Out Shelf is 16"w x 26"d and the opening is 10"h. Door and shelf are finished to match base panel selection.	466
FUS	Lift-up side-mount shelf - thru bolted - 18" x 24"	172
SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
PDP	Power/Data Port™ provides one duplex electrical outlet and two RJ-45 data connectors in a compact (3" x 7") location with a hide-away cover that slides open and down at the back of the port.	128
PDR	Recessed Power/Data Port reduces clutter. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	209
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
RAC	Optional Rack-Mount Rails. 19.25"w bay (54"w lecterns) - 18 spaces	172
RAC	Optional Rack-Mount Rails. 36"w main bay (36"w lecterns) requires DIV - 12 spaces	172
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected 6-outlet Power Strip with 10' cord and grounded plug.	48
TIM	TimeKeeper adjustable speaker's timer with warning lights	240

SUFFIX	Task Lighting and Electric	LIST
CLASSIC	10"w Solid Brass Classic Lectern Light adds a touch of class along with controlled illumination. Works with 25w or 40w display bulb. Factory installed.	182
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	255
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	290
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
CLASSIC	Classic Lectern Light - 40w tungsten bulb	129
SUFFIX	Security	LIST
LCL	Interlock and 1-Plate security system. Features cast metal plate with vinyl surface that is activated with super Bond adhesive - industrial strength bond with over 700 lbs. of holding strength. Includes (1) 1.75" round plate, 5' steel cable, 3 gram bottle of super bond adhesive, and resetable combination lock.	77
NBL	NB Laptop Locker - Pull-out Laptop computer support/drawer with security lock.	253
SUFFIX	Custom Modifications	LIST
CUT	Custom cut-out opening with finished edges for document camera, projector or other equipment located above an adjustable shelf in the Auxiliary bay. Optional filler panel is available. Provide template or dimensions of the opening.	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Double Station SS Table Modules	VDT	SIZE	LIST
Double SS Monitor Table Module with with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™				
CTI-663030-CK9	20"w CPU bay	14" - 19"	66x30x30	1,677
Double SS Monitor Table Module with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhang (left)				
CTL-783030-CK9	20" w CPU bay - left	14" - 19"	78x30x30	1,763
Double SS Monitor Table Module with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhang (right)				
CTR-783030-CK9	20" w CPU bay - right	14" - 19"	78x30x30	1,763
Double SS Monitor Table Module with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhangs (left and right)				
CT2-903030-CK9	20" w CPU bay (left and right)	14" - 19"	78x30x30	1,849
Double SS Monitor Table Module with with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™				
CTI-723030-CK9	20" CPU bay	14" - 19"	72x30x30	1,677
Double SS Monitor Table Module with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhang (left)				
CTL-843030-CK9	Double SS Monitor Table Module with 20" w CPU bay, OH L	14" - 19"	84x30x30	1,763
Double Sub-Surface Monitor Table Module with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhang (right)				
CTR-843030-CK9	20" CPU bay - right	14" - 19"	84x30x30	1,763
Double SS Monitor Table Module with 20" Convertible CPU Cabinet™, pullout keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhangs (left and right)				
CT2-963030-CK9	20" CPU bay (left and right)	14" - 19"	78x30x30	1,849

ITEM NUMBER	Double Station flipIT Table Modules	VDT	SIZE	LIST
Double flipIT LCD Monitor Table Module with with 2-10" wide CPU bays, Keyboard/mouse platforms, Integral Wire Management™				
FTI-723030-TKF	2 - 10" CPU bays - right	15"-18" LCD	72x30x30	2,448
FTI-723030-TKF/M	2 - 10" CPU bays - left	15"-18" LCD	72x30x30	2,448
Double flipIT LCD Monitor Table Module with 2-10" wide CPU bays, Keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhang (left)				
FTL-843030-TKF	2-10" CPU bays - right	15"-18" LCD	84x30x30	2,534
FTL-843030-TKF/M	2-10" CPU bays - left	15"-18" LCD	84x30x30	2,534
Double flipIT LCD Monitor Table Module with 2-10" wide CPU bays, Keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhang (right)				
FTR-843030-TKF	2-10" CPU bays - right	15"-18" LCD	84x30x30	2,534
FTR-843030-TKF/M	2-10" CPU bays - left	15"-18" LCD	84x30x30	2,534
Double flipIT LCD Monitor Table Module with 2-10" wide CPU bays, Keyboard/mouse platforms, Integral Wire Management™, 12" Worksurface Overhangs (left and right)				
FT2-963030-TKF	2-10" CPU bays (left and right)	15"-18" LCD	96x30x30	2,621
FT2-963030-TKF/M	2-10" CPU bays left	15"-18" LCD	96x30x30	2,621

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-90-01	4	2	CT2-903030-CK9	\$1,849	\$3,698	90x60x30	\$3,698
CTI-96-01	4	2	CT2-963030-CK9	\$1,849	\$3,698	96x60x30	\$3,698
FTI-96-01	4	1	FT2-963030-TKF	\$2,621	\$2,621	96x60x30	\$5,242
		1	FT2-963030-TKF/M	\$2,621	\$2,621		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-102-02	6	2	CTI-663030-CK9	\$1,677	\$3,354	102x60x30	\$5,796
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
CTI-108-02	6	2	CTI-723030-CK9	\$1,677	\$3,354	108x60x30	\$5,796
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
FTI-108-02	6	1	FTI-723030-TKF	\$2,266	\$2,266	108x60x30	\$7,498
		1	FTI-723030-TKF/M	\$2,266	\$2,266		
		1	FTI-363030-TKF	\$1,483	\$1,483		
		1	FTI-363030-TKF/M	\$1,483	\$1,483		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-132-1A	8	4	CTI-663030-CK9	\$1,849	\$7,396	132x60x30	\$7,396
CTI-144-1A	8	4	CTI-723030-CK9	\$1,849	\$7,396	144x60x30	\$7,396
FTI-144-1A	8	2	FTI-723030-TKF	\$2,448	\$4,896	144x60x30	\$9,792
		2	FTI-723030-TKF/M	\$2,448	\$4,896		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-144-1B	8	2	CTI-663030-CK9	\$1,677	\$3,354	144x60x30	\$6,880
		1	CTL-783030-CK9	\$1,763	\$1,763		
		1	CTR-783030-CK9	\$1,763	\$1,763		
CTI-156-1B	8	2	CTI-723030-CK9	\$1,677	\$3,354	156x60x30	\$6,880
		1	CTL-843030-CK9	\$1,763	\$1,763		
		1	CTR-843030-CK9	\$1,763	\$1,763		
FTI-156-1B	8	1	FTI-723030-TKF	\$2,448	\$2,448	156x60x30	\$9,964
		1	FTI-723030-TKF/M	\$2,448	\$2,448		
		1	FTL-843030-TKF	\$2,534	\$2,534		
		1	FTR-843030-TKF/M	\$2,534	\$2,534		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-156-1C	8	2	CTL-783030-CK9	\$1,763	\$3,526	156x60x30	\$7,052
		2	CTR-783030-CK9	\$1,763	\$3,526		
CTI-168-1C	8	2	CTL-843030-CK9	\$1,763	\$3,526	168x60x30	\$7,052
		2	CTL-843030-CK9	\$1,763	\$3,526		
FTI-168-1C	8	1	FTR-843030-TKF	\$2,534	\$2,534	168x60x30	\$10,136
		1	FTR-843030-TKF/M	\$2,534	\$2,534		
		1	FTL-843030-TKF	\$2,534	\$2,534		
		1	FTL-843030-TKF/M	\$2,534	\$2,534		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-168-2A	10	4	CTI-663030-CK9	\$1,849	\$7,396	168x60x30	\$9,838
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
CTI-180-2A	10	4	CTI-723030-CK9	\$1,849	\$7,396	180x60x30	\$9,838
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
FTI-180-2A	10	2	FTI-723030-TKF	\$2,448	\$4,896	180x60x30	\$12,758
		2	FTI-723030-TKF/M	\$2,448	\$4,896		
	10	1	FTI-363030-TKF	\$1,483	\$1,483		
		1	FTI-363030-TKF/M	\$1,483	\$1,483		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-180-2B	10	2	CTI-663030-CK9	\$1,677	\$3,354	180x60x30	\$9,322
		1	CTL-783030-CK9	\$1,763	\$1,763		
		1	CTR-783030-CK9	\$1,763	\$1,763		
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
CTI-192-2B	10	2	CTI-723030-CK9	\$1,677	\$3,354	192x60x30	\$9,322
		1	CTL-843030-CK9	\$1,763	\$1,763		
		1	CTR-843030-CK9	\$1,763	\$1,763		
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
FTI-192-2B	10	1	FTI-723030-TKF	\$2,448	\$2,448	192x60x30	\$12,930
		1	FTI-723030-TKF/M	\$2,448	\$2,448		
		1	FTL-84030-TKF	\$2,534	\$2,534		
		1	FTR-843030-TKF/M	\$2,534	\$2,534		
		1	FTI-363030-TKF	\$1,266	\$1,483		
CTI-192-2C	10	2	CTL-783030-CK9	\$1,763	\$3,526	192x60x30	\$9,494
		2	CTR-783030-CK9	\$1,763	\$3,526		
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
		10	2	CTL-843030-CK9	\$1,763		
CTI-204-2C	10	2	CTL-843030-CK9	\$1,763	\$3,526	204x60x30	\$9,494
		1	CTI-363030-TK9	\$1,221	\$1,221		
		1	CTI-363030-TK9/M	\$1,221	\$1,221		
FTI-204-2C	10	1	FTR-843030-TKF	\$2,534	\$2,534	204x60x30	\$12,920
		1	FTR-843030-TKF/M	\$2,534	\$2,534		
		1	FTL-843030-TKF	\$2,352	\$2,352		
		1	FTL-843030-TKF/M	\$2,534	\$2,534		
		1	FTI-363030-TKF	\$1,483	\$1,483		
		1	FTI-363030-TKF/M	\$1,483	\$1,483		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-198-3A	12	6	CTI-663030-CK9	\$1,849	\$11,094	198x60x30	\$11,094
CTI-216-3A	12	6	CTI-723030-CK9	\$1,849	\$11,094	216x60x30	\$11,094
FTI-216-3A	12	3	FTI-723030-TKF	\$2,448	\$7,344	216x60x30	\$14,688
		3	FTI-723030-TKF/M	\$2,448	\$7,344		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-216-3B	12	4	CTI-663030-CK9	\$1,677	\$6,708	216x60x30	\$10,234
		1	CTL-783030-CK9	\$1,763	\$1,763		
		1	CTR-783030-CK9	\$1,763	\$1,763		
CTI-228-3B	12	4	CTI-723030-CK9	\$1,677	\$6,708	228x60x30	\$10,234
		1	CTL-843030-CK9	\$1,763	\$1,763		
		1	CTR-843030-CK9	\$1,763	\$1,763		
FTI-228-3B	12	2	FTI-723030-TKF	\$2,448	\$4,896	228x60x30	\$14,860
		2	FTI-723030-TKF/M	\$2,448	\$4,896		
		1	FTL-84030-TKF	\$2,534	\$2,534		
		1	FTR-843030-TKF/M	\$2,534	\$2,534		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-222-3C	12	2	CTI-663030-CK9	\$1,677	\$3,354	222x60x30	\$10,406
		2	CTL-783030-CK9	\$1,763	\$3,526		
		2	CTR-783030-CK9	\$1,763	\$3,526		
CTI-240-3C	12	2	CTI-723030-CK9	\$1,677	\$3,354	240x60x30	\$10,406
		2	CTL-843030-CK9	\$1,763	\$3,526		
		2	CTR-843030-CK9	\$1,763	\$3,526		
FTI-240-3C	12	1	FTI-723030-TKF	\$2,448	\$2,448	240x60x30	\$15,032
		2	FTI-723030-TKF/M	\$2,448	\$2,448		
		2	FTL-84030-TKF	\$2,534	\$5,068		
		2	FTR-843030-TKF/M	\$2,534	\$5,068		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-96-4A	5	2	CTI-663030-CK9	\$1,677	\$3,354	96x60x30	\$4,748
		1	CTI-603030-TK9	\$1,394	\$1,394		
CTI-102-4A	5	2	CTI-723030-CK9	\$1,677	\$3,354	102x60x30	\$4,748
		1	CTI-603030-TK9	\$1,394	\$1,394		
FTI-102-4A	5	1	FTI-723030-TKF	\$2,448	\$2,448	102x60x30	\$6,551
		1	FTI-723030-TKF/M	\$2,448	\$2,448		
		1	FTI-603030-TKF	\$1,655	\$1,655		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-108-4B	5	1	CTL-783030-CK9	\$1,763	\$1,763	108x60x30	\$4,920
		1	CTR-783030-CK9	\$1,763	\$1,763		
		1	CTI-603030-TK9	\$1,394	\$1,394		
CTI-114-4B	5	1	CTL-843030-CK9	\$1,763	\$1,763	114x60x30	\$4,920
		1	CTR-843030-CK9	\$1,763	\$1,763		
FTI-114-4B	5	1	CTI-603030-TK9	\$1,394	\$1,394	114x60x30	\$6,733
		1	FTL-843030-TKF	\$2,534	\$2,534		
		1	FTR-843030-TKF/M	\$2,534	\$2,534		
		1	FTI-603030-TKF	\$1,665	\$1,665		

Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-126-4C	6	2	CTI-663030-CK9	\$1,677	\$3,354	126x60x30	\$6,142
		2	CTI-603030-TK9	\$1,394	\$2,788		
CTI-132-4C	6	2	CTI-723030-CK9	\$1,677	\$3,354	132x60x30	\$6,142
		2	CTI-603030-TK9	\$1,394	\$2,788		
		1	FTI-723030-TKF	\$2,448	\$2,448		
FTI-132-4C	6	1	FTI-723030-TKF/M	\$2,448	\$2,448	132x60x30	\$8,226
		2	FTI-603030-TKF	\$1,665	\$3,330		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-96/132-5A	9	4	CTI-663030-CK9	\$1,849	\$7,396	96x132x30	\$8,617
		1	CTI-363030-TK9	\$1,221	\$1,221		
CTI-96/144-5A	9	4	CTI-723030-CK9	\$1,849	\$7,396	96x144x30	\$8,617
		1	CTI-363030-TK9	\$1,221	\$1,221		
FTI-96/144-5A	9	4	FTI-723030-TKF	\$2,448	\$9,792	96x144x30	\$11,275
		1	FTI-363030-TKF	\$1,483	\$1,483		
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-126/132-5B	10	5	CTI-663030-CK9	\$1,849	\$9,245	126x132x30	\$9,245
CTI-132/144-5B	10	5	CTI-723030-CK9	\$1,849	\$9,245	132x144x30	\$9,245
FTI-132/144-5B	10	5	FTI-723030-TKF	\$2,448	\$12,240	132x144x30	\$12,240
Config. #	Sta	Q	Component	List @	Ext.	SIZE	LIST
CTI-132/162-5C	12	6	CTI-663030-CK9	\$1,849	\$11,094	132x162x30	\$11,094
CTI-144/174-5C	12	6	CTI-723030-CK9	\$1,849	\$11,094	144x174x30	\$11,094
FTI-144/174-5C	12	6	FTI-723030-TKF	\$2,448	\$14,688	144x174x30	\$14,688

ITEM NUMBER	Single Tables	VDT	SIZE	LIST
DEMI Computer Table - 10"w* tower CPU bay (1 PC), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4.				
SDE-603028-Tx9	Grade 9 thru 12	all	60x30x28	1,155
SDE-603026-Tx9	Grade 5 thru 8	all	60x30x26	1,155
SDE-603024-Tx9	Grade K thru 4	all	60x30x24	1,155
SDE-603036-Cx9	Adult Stand-up	all	60x30x36	1,262

ITEM NUMBER	Double Tables	VDT	SIZE	LIST
DEMI Computer Table - 20"w Convertible CPU Cabinet™ (2 PCs), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4.				
DDE-723628-Cx9	Grade 9 thru 12	all	72x36x28	1,241
DDE-723626-Cx9	Grade 5 thru 8	all	72x36x26	1,241
DDE-723624-Cx9	Grade K thru 4	all	72x36x24	1,241
DDE-723636-Cx9	Adult Stand-up	all	72x36x36	1,348

ITEM NUMBER	Triple Tables	VDT	SIZE	LIST
DEMI Computer Table - 28"w Convertible CPU Cabinet™ (3 PCs), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6.				
TDE-783928-Cx9	Grade 9 thru 12	all	78x39x28	1,293
TDE-783928-Cx9	Grade 5 thru 8	all	78x39x26	1,293
TDE-783928-Cx9	Grade K thru 4	all	78x39x24	1,293
TDE-783928-Cx9	Adult Stand-up	all	78x39x36	1,455
TDE-844228-Cx9	Grade 9 thru 12	all	84x42x28	1,293
TDE-844228-Cx9	Grade 5 thru 8	all	84x42x26	1,293
TDE-844228-Cx9	Grade K thru 4	all	84x42x24	1,293
TDE-844228-Cx9	Adult Stand-up	all	84x42x36	1,455

ITEM NUMBER	Single/Double CRT with Integrated CPU Tables	VDT	SIZE	LIST
DEMI CRT with Integrated CPU Computer Table - Panel base (up to 2 systems), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4.				
DDE-603028-xxM	Grade 9 thru 12	15 - 17"	60x30x28	869
DDE-603026-xxM	Grade 5 thru 8	15 - 17"	60x30x26	869
DDE-603024-xxM	Grade K thru 4	15 - 17"	60x30x24	869
DDE-603036-xxM	Adult Stand-up	15 - 17"	60x30x36	976

ITEM NUMBER	Double CRT with Integrated CPU Tables	VDT	SIZE	LIST
DEMI CRT with Integrated CPU Computer Table - Panel base (up to 2 systems), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6.				
DDE-723628-xxM	Grade 9 thru 12	15 - 17"	72x36x28	955
DDE-723626-xxM	Grade 5 thru 8	15 - 17"	72x36x26	955
DDE-723624-xxM	Grade K thru 4	15 - 17"	72x36x24	955
DDE-723636-xxM	Adult Stand-up	15 - 17"	72x36x36	1,062

ITEM NUMBER	Triple CRT with Integrated CPU Tables	VDT	SIZE	LIST
DEMI CRT with Integrated CPU Computer Table - Panel base (up to 3 systems), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6.				
TDE-783928-xxM	Grade 9 thru 12	15 - 17"	78x39x28	969
TDE-783926-xxM	Grade 5 thru 8	15 - 17"	78x39x26	969
TDE-783924-xxM	Grade K thru 4	15 - 17"	78x39x24	969
TDE-783936-xxM	Adult Stand-up	15 - 17"	78x39x36	1,059
TDE-844228-xxM	Grade 9 thru 12	15 - 17"	84x42x28	969
TDE-844226-xxM	Grade 5 thru 8	15 - 17"	84x42x26	969
TDE-844224-xxM	Grade K thru 4	15 - 17"	84x42x24	969
TDE-844236-xxM	Adult Stand-up	15 - 17"	84x42x36	1,059

ITEM NUMBER	Single Laptop (Notebook) Tables w/ Power/Data Port	VDT	SIZE	LIST
DEMI Laptop Computer Table - Panel base (up to 2 systems), Surface-mounted Power/Data Port, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4.				
SDE-603028-xxL	Grade 9 thru 12	laptop	60x30x28	969
SDE-603026-xxL	Grade 5 thru 8	laptop	60x30x26	969
SDE-603024-xxL	Grade K thru 4	laptop	60x30x24	969
SDE-603036-xxL	Adult Stand-up	laptop	60x30x36	1,034

ITEM NUMBER	Double Laptop (Notebook) Tables w/ Power/Data Port	VDT	SIZE	LIST
DEMI Laptop Computer Table - Panel base (up to 2 systems), Surface-mounted Power/Data Port, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4.				
DDE-603028-xxL	Grade 9 thru 12	laptop	60x30x28	1,055
DDE-603026-xxL	Grade 5 thru 8	laptop	60x30x26	1,055
DDE-603024-xxL	Grade K thru 4	laptop	60x30x24	1,055
DDE-603036-xxL	Adult Stand-up	laptop	60x30x36	1,121

ITEM NUMBER	Triple Laptop (Notebook) Tables w/ Power/Data Port	VDT	SIZE	LIST
DEMI Laptop Computer Table - Panel base (up to 4 systems), Two Surface-mounted Power/Data Ports, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6.				
DDE-723628-xxL	Grade 9 thru 12	laptop	72x36x28	1,079
DDE-723626-xxL	Grade 5 thru 8	laptop	72x36x26	1,079
DDE-723624-xxL	Grade K thru 4	laptop	72x36x24	1,079
DDE-723636-xxL	Adult Stand-up	laptop	72x36x36	1,183

ITEM NUMBER	Single Computer Tables w/ Articulated Keyboard Tray	VDT	SIZE	LIST
DEMI Computer Table with K13 Articulated Keyboard/Mouse Platform - 10"w Tower CPU bay (1 PC), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4. Meets ADA				
SDE-603030-TA9	DEMI Table with Articulated Keyboard Tray	14 - 19"	60x30x30	1,462

DEMI Computer Table with K13 Articulated Keyboard/Mouse Platform - 20"w Convertible CPU Cabinet™, Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4. Meets ADA Recommendations.

SDE-603036-CA9	DEMI Table with Articulated Keyboard Tray	14 - 19"	60x30x36	1,566
-----------------------	---	----------	----------	-------

ITEM NUMBER	Double Computer Tables w/ Articulated Keyboard Tray	VDT	SIZE	LIST
-------------	---	-----	------	------

DEMI Computer Table with Two K13 Articulated Keyboard/Mouse Platforms - 20"w Convertible CPU Cabinet™ (2 PCs), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 4. Meets ADA Recommendations.

DDE-603030-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	60x30x30	1,769
-----------------------	--	----------	----------	-------

DDE-603036-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	60x30x36	1,876
-----------------------	--	----------	----------	-------

DEMI Computer Table with Two K13 Articulated Keyboard/Mouse Platforms - 20"w Convertible CPU Cabinet™ (2 PCs), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6. Meets ADA Recommendations.

DDE-723630-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	72x36x30	1,855
-----------------------	--	----------	----------	-------

DDE-723636-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	72x36x36	1,962
-----------------------	--	----------	----------	-------

ITEM NUMBER	Triple Computer Tables w/ Articulated Keyboard Tray	VDT	SIZE	LIST
DEMI Computer Table with Three K13 Articulated Keyboard/Mouse Platforms - 28"w Convertible CPU Cabinet™ (3 PCs), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6. Meets ADA Recommendations.				
TDE-783930-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	78x39x30	2,162
TDE-783936-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	78x39x36	2,269
DEMI Computer Table with Three K13 Articulated Keyboard/Mouse Platforms - 28"w Convertible CPU Cabinet™ (3 PCs), Surface-mounted wire access grommet, Integral Wire Management™. Half-round shape is ideal for shared terminal and tutoring applications. Seats up to 6. Meets ADA Recommendations.				
TDE-844230-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	84x42x30	2,162
TDE-844236-CA9	DEMI Table with Articulated Keyboard Trays	14 - 19"	84x42x36	2,269

SUFFIX	Ergonomics - Keyboard Platforms	LIST
AK1	Articulated, single-arm, keyboard/mouse tray. Height, swivel and tilt adjustability. Gel wrist rests. Meets ADA requirements. Will not accommodate recessed monitors.	463
ST3	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 24" Track. Sit-Stand arm provides height (12" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards. Meets ADA requirements.	483
KE1	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards.	434
K13	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement and dual mousing surfaces. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 25" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Surpasses ANSI/BIFMA standards.	321

SUFFIX	Ergonomic Monitor Arms	LIST
HOC	Hopper™ Monitor Arm with ratchet mechanism - clamp base	196
HOG	Hopper™ Monitor Arm with ratchet mechanism - grommet base	196
MAC	Mantis™ Monitor Arm with pneumatic mechanism - clamp base	472
MAG	Mantis™ Monitor Arm with pneumatic mechanism - grommet base	472

SUFFIX	Adjustability, Accessibility and Mobility	LIST
DW4	4 Dual-wheel locking casters (50mm) with steel panel support braces.	155
RAP	Rear Access Panel with a 6" x 9" opening provides access to cables at the back of the CPU. Can be mounted at rear or side of the CPU bay.	76
RAD	Locking rear or side access door to provide easier access to CPU or other equipment.	155
PS2	Pull-Out Shelf on heavy-duty Acuride® full-extension glides provides easier access to CPUs, Printer, Scanner or other equipment.	166

SUFFIX	Connectivity & Wire Management	LIST
RAW	Rack Mounting Standards (in 20"w CPU bay - 12 spaces)	155
KGG	"King Kong" Large Oval wire access grommet and cover (6" x 2 1/2")	44
JB1	Junction Box Grommet - Accommodates fourplex box	39
JB2	Junction Box Grommet - Accommodates duplex box	36
HSG	Headset Grommet connects headset plug to desktop outlet then to CPU	114
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
WM16	Snake wire manager - 31-1/8" - length may be modified.	97
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	238
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	272
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245

SUFFIX	Security	LIST
LB1	Locking 10" w CPU Bay Door	129
LB2	Locking 20" w CPU Bay Door	138
LB8	Locking 28" w CPU Bay Door Set (2)	259
SUFFIX	Custom Modifications/Conversions	LIST
CUT	Custom cut-out opening with finished edges	76
CFP	Cut-out filler panel with DTG	155
LAM	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost

ITEM NUMBER	Single Laptop (Notebook) Tables with Power/Data Port	VDT	SIZE	LIST
DLSeminar™ Single Laptop (Notebook) Table w/ Series 101 Tubular Steel "C" Legs, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 or 2 laptop computers.				
SDR-362028-SCL	Single Station Laptop Table (Series 101)	laptop	30-42x20x28	608
SDR-362428-SCL	Single Station Laptop Table (Series 101)	laptop	30-42x24x28	637
SDR-363028-SCL	Single Station Laptop Table (Series 101)	laptop	30-42x30x28	683
SDR-363628-SCL	Single Station Laptop Table (Series 101)	laptop	30-42x36x28	728
SDR-482028-SCL	Single Station Laptop Table (Series 101)	laptop	42-54x20x28	731
SDR-482428-SCL	Single Station Laptop Table (Series 101)	laptop	42-54x24x28	768
SDR-483028-SCL	Single Station Laptop Table (Series 101)	laptop	42-54x30x28	825
SDR-483628-SCL	Single Station Laptop Table (Series 101)	laptop	42-54x36x28	883
ITEM NUMBER	Double Laptop (Notebook) Tables with Power/Data Ports	VDT	SIZE	LIST
DLSeminar™ Double Laptop (Notebook) Table w/ Series 101 Tubular Steel "C" Legs, Two Power/Data Ports, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 2 laptop computers.				
DDR-602028-SCL	Double Station Laptop Table (Series 101)	laptop	54-66x20x28	781
DDR-602428-SCL	Double Station Laptop Table (Series 101)	laptop	54-66x24x28	822
DDR-603028-SCL	Double Station Laptop Table (Series 101)	laptop	54-66x30x28	886
DDR-603628-SCL	Double Station Laptop Table (Series 101)	laptop	54-66x36x28	942
DLSeminar™ Double Laptop (Notebook) Table w/ Series 101 Tubular Steel "C" Legs, Two Power/Data Ports, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 3 laptop computers.				
DDR-722028-SCL	Double Station Laptop Table (Series 101)	laptop	66-78x20x28	855
DDR-722428-SCL	Double Station Laptop Table (Series 101)	laptop	66-78x24x28	902
DDR-723028-SCL	Double Station Laptop Table (Series 101)	laptop	66-78x30x28	964
DDR-723628-SCL	Double Station Laptop Table (Series 101)	laptop	66-78x36x28	1,020

ITEM NUMBER	Triple Laptop (Notebook) Tables with Power/Data Ports	VDT	SIZE	LIST
DLSeminar™ Triple Laptop (Notebook) Table w/ Three Series 101 Tubular Steel "C" Legs, Three Power/Data Ports, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 3 laptop computers.				
TDR-842028-SCL	Triple Station Laptop Table (Series 101)	laptop	78-90x20x28	912
TDR-842428-SCL	Triple Station Laptop Table (Series 101)	laptop	78-90x24x28	964
TDR-843028-SCL	Triple Station Laptop Table (Series 101)	laptop	78-90x30x28	1,026
TDR-843628-SCL	Triple Station Laptop Table (Series 101)	laptop	78-90x36x28	1,082

ITEM NUMBER	Single Seminar Tables with Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Single Seminar Table w/ Series 101 Tubular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
SDR-362028-MCx	Single Seminar Table (Series 101)	-	30-42x20x28	567
SDR-362428-MCx	Single Seminar Table (Series 101)	-	30-42x24x28	595
SDR-363028-MCx	Single Seminar Table (Series 101)	-	30-42x30x28	641
SDR-363628-MCx	Single Seminar Table (Series 101)	-	30-42x36x28	686
SDR-482028-MCx	Single Seminar Table (Series 101)	-	42-54x20x28	690
SDR-482428-MCx	Single Seminar Table (Series 101)	-	42-54x24x28	727
SDR-483028-MCx	Single Seminar Table (Series 101)	-	42-54x30x28	784
SDR-483628-MCx	Single Seminar Table (Series 101)	-	42-54x36x28	842

ITEM NUMBER	Double Seminar Tables with Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Double Seminar Table w/ Series 101 Tubular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
DDR-602028-MCx	Double Seminar Table (Series 101)	-	54-66x20x28	739
DDR-602428-MCx	Double Seminar Table (Series 101)	-	54-66x24x28	781
DDR-603028-MCx	Double Seminar Table (Series 101)	-	54-66x30x28	844
DDR-603628-MCx	Double Seminar Table (Series 101)	-	54-66x36x28	901

DLSeminar™ Double Seminar Table w/ Series 101 Tubular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
DDR-722028-MCx	Double Seminar Table (Series 101)	-	66-78x20x28	813
DDR-722428-MCx	Double Seminar Table (Series 101)	-	66-78x24x28	860
DDR-723028-MCx	Double Seminar Table (Series 101)	-	66-78x30x28	923
DDR-723628-MCx	Double Seminar Table (Series 101)	-	66-78x36x28	979

ITEM NUMBER	Triple Seminar Tables with Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Triple Seminar Table w/ Three Series 101 Tubular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
TDR-842028-MCx	Triple Seminar Table (Series 101)	-	78-90x20x28	870
TDR-842428-MCx	Triple Seminar Table (Series 101)	-	78-90x24x28	923
TDR-843028-MCx	Triple Seminar Table (Series 101)	-	78-90x30x28	985
TDR-843628-MCx	Triple Seminar Table (Series 101)	-	78-90x36x28	1,041

ITEM NUMBER	Single Work Tables	VDT	SIZE	LIST
DLSeminar™ Single Work Table w/ Series 101 Tubular Steel "T" Legs				
SDR-362028-xTx	Single Work Table (Series 101)	-	30-42x20x28	368
SDR-362428-xTx	Single Work Table (Series 101)	-	30-42x24x28	396
SDR-363028-xTx	Single Work Table (Series 101)	-	30-42x30x28	442
SDR-363628-xTx	Single Work Table (Series 101)	-	30-42x36x28	487
SDR-482028-xTx	Single Work Table (Series 101)	-	42-54x20x28	462
SDR-482428-xTx	Single Work Table (Series 101)	-	42-54x24x28	499
SDR-483028-xTx	Single Work Table (Series 101)	-	42-54x30x28	556
SDR-483628-xTx	Single Work Table (Series 101)	-	42-54x36x28	614

ITEM NUMBER	Double Work Tables	VDT	SIZE	LIST
DLSeminar™ Double Work Table w/ Series 101 Tubular Steel "T" Legs				
DDR-602028-xTx	Double Work Table (Series 101)	-	54-66x20x28	483
DDR-602428-xTx	Double Work Table (Series 101)	-	54-66x24x28	524
DDR-603028-xTx	Double Work Table (Series 101)	-	54-66x30x28	588
DDR-603628-xTx	Double Work Table (Series 101)	-	54-66x36x28	645

DLSeminar™ Double Work Table w/ Series 101 Tubular Steel "T" Legs				
DDR-722028-xTx	Double Work Table (Series 101)	-	66-78x20x28	528
DDR-722428-xTx	Double Work Table (Series 101)	-	66-78x24x28	575
DDR-723028-xTx	Double Work Table (Series 101)	-	66-78x30x28	638
DDR-723628-xTx	Double Work Table (Series 101)	-	66-78x36x28	694

ITEM NUMBER	Triple Work Tables	VDT	SIZE	LIST
DLSeminar™ Triple Work Table w/ Three Series 101 Tubular Steel "T" Legs				
TDR-842028-xTx	Triple Work Table (Series 101)	-	78-90x20x28	556
TDR-842428-xTx	Triple Work Table (Series 101)	-	78-90x24x28	609
TDR-843028-xTx	Triple Work Table (Series 101)	-	78-90x30x28	671
TDR-843628-xTx	Triple Work Table (Series 101)	-	78-90x36x28	727

ITEM NUMBER	Half-Round Laptop (Notebook) Tables with Power/Data Ports	VDT	SIZE	LIST
-------------	---	-----	------	------

DLSeminar™ Half-Round Laptop (Notebook) Table w/ Series 101 Tubular Steel "C" Legs, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 to 4 laptop computers.

SDR-482428-SRL	DEMI™ Half-round Laptop Table (Series 101)	laptop	42-54x21-27x28	1,338
DDR-603028-SRL	DEMI™ Half-round Laptop Table (Series 101)	laptop	54-66x27-33x28	1,393
TDR-723628-SRL	DEMI™ Half-round Laptop Table (Series 101)	laptop	66-78x33-39x28	1,442
TDR-844228-SRL	DEMI™ Half-round Laptop Table (Series 101)	laptop	78-90x39-45x28	1,483

ITEM NUMBER	Half-Round Seminar Tables with Modesty Panel	VDT	SIZE	LIST
-------------	--	-----	------	------

DLSeminar™ Half-Round Seminar Table w/ Series 101 Tubular Steel "C" Legs and Removable Modesty Panel

SDR-482428-MRx	DEMI™ Half-round Seminar Table (Series 101)	-	42-54x21-27x28	1,076
DDR-603028-MRx	DEMI™ Half-round Seminar Table (Series 101)	-	54-66x27-33x28	1,166
TDR-723628-MRx	DEMI™ Half-round Seminar Table (Series 101)	-	66-78x33-39x28	1,248
TDR-844228-MRx	DEMI™ Half-round Seminar Table (Series 101)	-	78-90x39-45x28	1,290

ITEM NUMBER	Half-Round Work Tables	VDT	SIZE	LIST
-------------	------------------------	-----	------	------

DLSeminar™ Half-Round Work Table w/ Series 101 Tubular Steel "C" Legs

SDR-482428-xRx	DEMI™ Half-round Work Table (Series 101)	-	42-54x21-27x28	981
DDR-603028-xRx	DEMI™ Half-round Work Table (Series 101)	-	54-66x27-33x28	1,057
TDR-723628-xRx	DEMI™ Half-round Work Table (Series 101)	-	66-78x33-39x28	1,126
TDR-844228-xRx	DEMI™ Half-round Work Table (Series 101)	-	78-90x39-45x28	1,160

ITEM NUMBER	Round Laptop (Notebook) Tables with Power/Data Ports	VDT	SIZE	LIST
-------------	--	-----	------	------

DLSeminar™ Round Laptop (Notebook) Table w/ Series 101 Tubular Steel "X" Leg and 3" diameter column with wire chase, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 to 4 laptop computers.

QDR-363628-SRL	Round Laptop Table (Series 101)	laptop	30-36d x 28	1,103
QDR-484828-SRL	Round Laptop Table (Series 101)	laptop	36-48d x 28	1,338
QDR-606028-SRL	Round Laptop Table (Series 101)	laptop	48-60d x 28	1,441

ITEM NUMBER	Square/Rectangular Tables with Power/Data Ports	VDT	SIZE	LIST
-------------	---	-----	------	------

DLSeminar™ Square or Rectangular Laptop (Notebook) Table w/ Series 101 Tubular Steel "X" Leg and 3" diameter column with wire chase, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 to 4 laptop computers

QDR-363628-SSL	Square/Rectangular Laptop Table (Series 101)	laptop	30-36x30-36x28	759
QDR-484828-SSL	Square/Rectangular Laptop Table (Series 101)	laptop	36-48x36-48x28	966
QDR-606028-SSL	Square/Rectangular Laptop Table (Series 101)	laptop	48-60x48-60x28	1,069

ITEM NUMBER	Round Work Tables	VDT	SIZE	LIST
-------------	-------------------	-----	------	------

DLSeminar™ Round Work Table w/ Series 101 Tubular Steel "X" Leg

QDR-363628-xRx	Round Work Table (Series 101)	-	30-36d x 28	759
QDR-484828-xRx	Round Work Table (Series 101)	-	36-48d x 28	993
QDR-606028-xRx	Round Work Table (Series 101)	-	48-60d x 28	1,097

ITEM NUMBER	Square/Rectangular Work Tables	VDT	SIZE	LIST
-------------	--------------------------------	-----	------	------

DLSeminar™ Square or Rectangular Work Table w/ Series 101 Tubular Steel "X" Leg

QDR-363628-xSx	Square/Rectangular Work Table (Series 101)	-	30-36x30-36x28	414
QDR-484828-xSx	Square/Rectangular Work Table (Series 101)	-	36-48x36-48x28	621
QDR-606028-xSx	Square/Rectangular Work Table (Series 101)	-	48-60x48-60x28	724

SUFFIX	Ergonomics - Keyboard Platforms	LIST
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	92
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
AK1	Articulated, single-arm, keyboard/mouse tray. Height, swivel and tilt adjustability. Gel wrist rests. Meets ADA requirements. Will not accommodate recessed monitors.	463
ST3	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 24" Track. Sit-Stand arm provides height (12" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards. Meets ADA requirements.	483
KE1	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards.	434
K13	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement and dual mousing surfaces. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 25" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Surpasses ANSI/BIFMA standards.	321
SUFFIX	Ergonomic Monitor Arms	LIST
HOC	Hopper™ Monitor Arm with ratchet mechanism - clamp base	196
MAC	Mantis™ Monitor Arm with pneumatic mechanism - clamp base	472
SUFFIX	Adjustability, Accessibility and Mobility	LIST
AHL	Adjustable height Snap-Lock™ "T" leg mechanism (Series 101) - add per table	210
FLG	Genu-Fold™ Folding-Leg Mechanism - For DL <i>Seminar</i> Tables (add per table)	240
FLR	Genu-Fold™ Folding-Leg Riser (required per table if less than 55"w)	52
VCP	Suspended CPU case support - slide-out and swivel	129
LGC	2 Dual-wheel locking casters - (per "T" or "C" Main Bar)	47

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
WM16	Snake wire manager - 31-1/8" - length may be modified.	97
PDP	Power/Data Port™ provides duplex electrical outlet and 2 - RJ-45 data connectors in a 3" x 7" location with hide-away cover that slides open and down at the back of the port.	128
PDR	The Recessed Power/Data Port offers the ability to reduce clutter and limit cable jacks and electrical connections while maintaining the accessibility of a desktop port. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Addit	209
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection. The 10 foot cord is necessary in the double workstations to reach wall outlets and/or to enable daisy-chaining from desk to desk.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	238
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	272
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
SUFFIX	Top Connectors/Extenders	LIST
A20-xx	Angle connector for 20" deep worksurfaces (Specify Angle)	103
A24-xx	Angle connector for 24" deep worksurfaces (Specify Angle)	110
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
A36-xx	Angle connector for 36" deep worksurfaces (Specify Angle)	155

SUFFIX	Security	LIST
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features Steel cable, key lock and cast metal plates with vinyl surfaces that are activated with super-bond adhesive-with over 700 lbs. of holding strength	64
LCL	Laptop Lock - Interlock and 1-Plate security system. Features cast metal plate with vinyl surface that is activated with super Bond adhesive - industrial strength bond with over 700 lbs. of holding strength. Includes (1) 1.75" round plate, 5' steel cable	62
NBL	NB Laptop Locker - Pull-out Laptop computer support/drawer with security lock.	259
SUFFIX	Custom Modifications/Conversions	LIST
LDN	Modify Table Leg Height - Down (add per table)	53
LUP	Modify Table Leg Height - Up (add per table)	81
CUT	Custom cut-out opening with finished edges	76
CFP	Cut-out filler panel with DTG	155
LMP	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
LAM	HP Laminate finish on SnapFlex top surfaces	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Single Laptop (Notebook) Tables w/ Power/Data Port	VDT	SIZE	LIST
DLSeminar™ Single Laptop (Notebook) Table w/ Series 105 Rectangular Steel "C" Legs with wire chase, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 or 2 laptop computers.				
SDL-362028-SCL	Single Station Laptop Table (Series 105)	laptop	30-42x20x28	867
SDL-362428-SCL	Single Station Laptop Table (Series 105)	laptop	30-42x24x28	895
SDL-363028-SCL	Single Station Laptop Table (Series 105)	laptop	30-42x30x28	941
SDL-363628-SCL	Single Station Laptop Table (Series 105)	laptop	30-42x36x28	986
SDL-482028-SCL	Single Station Laptop Table (Series 105)	laptop	42-54x20x28	990
SDL-482428-SCL	Single Station Laptop Table (Series 105)	laptop	42-54x24x28	965
SDL-483028-SCL	Single Station Laptop Table (Series 105)	laptop	42-54x30x28	1,084
SDL-483628-SCL	Single Station Laptop Table (Series 105)	laptop	42-54x36x28	1,142

ITEM NUMBER	Double Laptop (Notebook) Tables w/ Power/Data Ports	VDT	SIZE	LIST
DLSeminar™ Double Laptop (Notebook) Table w/ Series 105 Rectangular Steel "C" Legs with wire chase, Two Power/Data Ports, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 2 laptop computers.				
DDL-602028-SCL	Double Station Laptop Table (Series 105)	laptop	54-66x20x28	1,133
DDL-602428-SCL	Double Station Laptop Table (Series 105)	laptop	54-66x24x28	1,174
DDL-603028-SCL	Double Station Laptop Table (Series 105)	laptop	54-66x30x28	1,237
DDL-603628-SCL	Double Station Laptop Table (Series 105)	laptop	54-66x36x28	1,294

DLSeminar™ Double Laptop (Notebook) Table w/ Series 105 Rectangular Steel "C" Legs with wire chase, Two Power/Data Ports, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 3 laptop computers.				
DDL-722028-SCL	Double Station Laptop Table (Series 105)	laptop	66-78x20x28	1,207
DDL-722428-SCL	Double Station Laptop Table (Series 105)	laptop	66-78x24x28	1,253
DDL-723028-SCL	Double Station Laptop Table (Series 105)	laptop	66-78x30x28	1,316
DDL-723628-SCL	Double Station Laptop Table (Series 105)	laptop	66-78x36x28	1,372

ITEM NUMBER	Triple Laptop (Notebook) Tables w/ Power/Data Ports	VDT	SIZE	LIST
DLSeminar™ Double Laptop (Notebook) Table w/ Three Series 105 Rectangular Steel "C" Legs with wire chase, Two Power/Data Ports, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 3 laptop computers.				
TDL-842028-SCL	Triple Station Laptop Table (Series 105)	laptop	78-90x20x28	1,357
TDL-842428-SCL	Triple Station Laptop Table (Series 105)	laptop	78-90x24x28	1,409
TDL-843028-SCL	Triple Station Laptop Table (Series 105)	laptop	78-90x30x28	1,471
TDL-843628-SCL	Triple Station Laptop Table (Series 105)	laptop	78-90x36x28	1,527

ITEM NUMBER	Single Seminar Tables w/ Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Single Seminar Table w/ Series 105 Rectangular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
SDL-362028-MCx	Double Seminar Table (Series 105)		30-42x20x28	691
SDL-362428-MCx	Double Seminar Table (Series 105)		30-42x24x28	720
SDL-363028-MCx	Double Seminar Table (Series 105)		30-42x30x28	765
SDL-363628-MCx	Double Seminar Table (Series 105)		30-42x36x28	810
SDL-482028-MCx	Double Seminar Table (Series 105)		42-54x20x28	814
SDL-482428-MCx	Double Seminar Table (Series 105)		42-54x24x28	851
SDL-483028-MCx	Double Seminar Table (Series 105)		42-54x30x28	908
SDL-483628-MCx	Double Seminar Table (Series 105)		42-54x36x28	966

ITEM NUMBER	Double Seminar Tables w/ Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Double Seminar Table w/ Series 105 Rectangular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
DDL-602028-MCx	Double Seminar Table (Series 105)		54-66x20x28	864
DDL-602428-MCx	Double Seminar Table (Series 105)		54-66x24x28	905
DDL-603028-MCx	Double Seminar Table (Series 105)		54-66x30x28	968
DDL-603628-MCx	Double Seminar Table (Series 105)		54-66x36x28	1,025

DLSeminar™ Double Seminar Table w/ Series 105 Rectangular Steel "C" Legs, Fold-down and Removable Modesty Panel.

DDL-722028-MCx	Double Seminar Table (Series 105)		66-78x20x28	938
DDL-722428-MCx	Double Seminar Table (Series 105)		66-78x24x28	984
DDL-723028-MCx	Double Seminar Table (Series 105)		66-78x30x28	1,047
DDL-723628-MCx	Double Seminar Table (Series 105)		66-78x36x28	1,103

ITEM NUMBER	Triple Seminar Tables w/ Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Triple Seminar Table w/ Three Series 105 Rectangular Steel "C" Legs, Fold-down and Removable Modesty Panel.				
TDL-842028-MCx	Triple Seminar Table (Series 105)		78-90x20x28	994
TDL-842428-MCx	Triple Seminar Table (Series 105)		78-90x24x28	1,047
TDL-843028-MCx	Triple Seminar Table (Series 105)		78-90x30x28	1,109
TDL-843628-MCx	Triple Seminar Table (Series 105)		78-90x36x28	1,165

ITEM NUMBER	Single Work Tables	VDT	SIZE	LIST
DLSeminar™ Single Work Table w/ Series 105 Rectangular Steel "T" Legs				
SDL-362028-xTx	Double Work Table (Series 105)		30-42x20x28	451
SDL-362428-xTx	Double Work Table (Series 105)		30-42x24x28	479
SDL-363028-xTx	Double Work Table (Series 105)		30-42x30x28	525
SDL-363628-xTx	Double Work Table (Series 105)		30-42x36x28	570
SDL-482028-xTx	Double Work Table (Series 105)		42-54x20x28	545
SDL-482428-xTx	Double Work Table (Series 105)		42-54x24x28	582
SDL-483028-xTx	Double Work Table (Series 105)		42-54x30x28	639
SDL-483628-xTx	Double Work Table (Series 105)		42-54x36x28	697

ITEM NUMBER	Double Work Tables	VDT	SIZE	LIST
DLSeminar™ Double Work Table w/ Series 105 Rectangular Steel "T" Legs				
DDL-602028-xTx	Double Work Table (Series 105)		54-66x20x28	566
DDL-602428-xTx	Double Work Table (Series 105)		54-66x24x28	607
DDL-603028-xTx	Double Work Table (Series 105)		54-66x30x28	671
DDL-603628-xTx	Double Work Table (Series 105)		54-66x36x28	727

DLSeminar™ Double Work Table w/ Series 105 Rectangular Steel "T" Legs				
DDL-722028-xTx	Double Work Table (Series 105)		66-78x20x28	611
DDL-722428-xTx	Double Work Table (Series 105)		66-78x24x28	658
DDL-723028-xTx	Double Work Table (Series 105)		66-78x30x28	721
DDL-723628-xTx	Double Work Table (Series 105)		66-78x36x28	777

ITEM NUMBER	Triple Work Tables	VDT	SIZE	LIST
DLSeminar™ Double Work Table w/ Three Series 105 Rectangular Steel "T" Legs				
TDL-842028-xTx	Triple Work Table (Series 105)		78-90x20x28	639
TDL-842428-xTx	Triple Work Table (Series 105)		78-90x24x28	692
TDL-843028-xTx	Triple Work Table (Series 105)		78-90x30x28	754
TDL-843628-xTx	Triple Work Table (Series 105)		78-90x36x28	810

ITEM NUMBER	Half-Round Laptop (Notebook) Tables w/ Power/Data Ports	VDT	SIZE	LIST
DLSeminar™ Half-Round Laptop (Notebook) Table w/ Series 105 Rectangular Steel "C" Legs, 3" Column with wire channel, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 to 4 laptop computers.				
SDL-482428-SRL	DEMI™ Half-round Laptop Table (Series 105)	laptop	42-54x21-27x28	1,591
DDL-603028-SRL	DEMI™ Half-round Laptop Table (Series 105)	laptop	54-66x27-33x28	1,771
TDL-723628-SRL	DEMI™ Half-round Laptop Table (Series 105)	laptop	66-78x33-39x28	1,971
TDL-844228-SRL	DEMI™ Half-round Laptop Table (Series 105)	laptop	78-90x39-45x28	2,147

ITEM NUMBER	Half-Round Seminar Tables w/ Modesty Panel	VDT	SIZE	LIST
DLSeminar™ Half-Round Seminar Table w/ Series 105 Rectangular Steel "C" Legs and Removable Modesty Panel				
SDL-482428-MRx	DEMI™ Half-round Seminar Table (Series 105)		42-54x21-27x28	1,326
DDL-603028-MRx	DEMI™ Half-round Seminar Table (Series 105)		54-66x27-33x28	1,505
TDL-723628-MRx	DEMI™ Half-round Seminar Table (Series 105)		66-78x33-39x28	1,740
TDL-844228-MRx	DEMI™ Half-round Seminar Table (Series 105)		78-90x39-45x28	1,916

ITEM NUMBER	Half-Round Work Tables	VDT	SIZE	LIST
DLSeminar™ Half-Round Work Table w/ Series 105 Rectangular Steel "C" Legs				
SDL-482428-xRx	DEMI™ Half-round Work Table (Series 105)		42-54x21-27x28	1,022
DDL-603028-xRx	DEMI™ Half-round Work Table (Series 105)		54-66x27-33x28	1,064
TDL-723628-xRx	DEMI™ Half-round Work Table (Series 105)		66-78x33-39x28	1,133
TDL-844228-xRx	DEMI™ Half-round Work Table (Series 105)		78-90x39-45x28	1,167

ITEM NUMBER	Round Laptop (Notebook) Tables w/ Power/Data Ports	VDT	SIZE	LIST
-------------	---	-----	------	------

DLSeminar™ Round Laptop (Notebook) Table w/ Series 105 Rectangular Steel "X" Leg and 3" diameter column with wire chase, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 to 4 laptop computers.

QDL-363628-SRL	Round Laptop Table (Series 105)	laptop	30-36d x 28	1,545
QDL-484828-SRL	Round Laptop Table (Series 105)	laptop	36-48d x 28	1,683
QDL-606028-SRL	Round Laptop Table (Series 105)	laptop	48-60d x 28	1,786

ITEM NUMBER	Square/Rectangular Tables w/ Power/Data Ports	VDT	SIZE	LIST
-------------	--	-----	------	------

DLSeminar™ Square or Rectangular Laptop (Notebook) Table w/ Series 105 Rectangular Steel "X" Leg and 3" diameter column with wire chase, Power/Data Port, Fold-down, Removable Modesty Panel with Surge-suppressed Power Strip. Accommodates 1 to 4 laptop compu

QDL-363628-SSL	Square/Rectangular Laptop Table (Series 105)	laptop	30-36x30-36x28	1,200
QDL-484828-SSL	Square/Rectangular Laptop Table (Series 105)	laptop	36-48x36-48x28	1,338
QDL-606028-SSL	Square/Rectangular Laptop Table (Series 105)	laptop	48-60x48-60x28	1,441

ITEM NUMBER	Round Work Tables	VDT	SIZE	LIST
-------------	-------------------	-----	------	------

DLSeminar™ Round Work Table w/ Series 105 Rectangular Steel "X" Leg and 3" diameter column

QDL-363628-xRx	Round Work Table (Series 105)	-	30-36d x 28	1,103
QDL-484828-xRx	Round Work Table (Series 105)	-	36-48d x 28	1,338
QDL-606028-xRx	Round Work Table (Series 105)	-	48-60d x 28	1,441

ITEM NUMBER	Square/Rectangular Work Tables	VDT	SIZE	LIST
-------------	--------------------------------	-----	------	------

DLSeminar™ Square or Rectangular Work Table w/ Series 105 Rectangular Steel "X" Leg and 3" diameter column

QDL-363628-xSx	Square/Rectangular Work Table (Series 105)	-	30-36x30-36x28	759
QDL-484828-xSx	Square/Rectangular Work Table (Series 105)	-	36-48x36-48x28	966
QDL-606028-xSx	Square/Rectangular Work Table (Series 105)	-	48-60x48-60x28	1,069

SUFFIX	Ergonomics - Keyboard Platforms	LIST
SK1	Pullout, dual-arm 27"w keyboard/mouse tray. Height adjustable brackets. Gel wrist rest.	92
SK2	Pullout, dual-arm 20.75"w keyboard tray. Side pullout Mousing Surface. Height adjustable brackets. Gel wrist rest.	130
AK1	Articulated, single-arm, keyboard/mouse tray. Height, swivel and tilt adjustability. Gel wrist rests. Meets ADA requirements. Will not accommodate recessed monitors.	463
ST3	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 24" Track. Sit-Stand arm provides height (12" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards. Meets ADA requirements.	483
KE1	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 18" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Separate independent tilt and swivel mouse platform with gel wrist rest and mousing surface - interchangeable left or right. Surpasses ANSI/BIFMA standards.	434
K13	Articulated, single-arm keyboard/mouse tray with non-skid pads to prevent keyboard movement and dual mousing surfaces. 18" Track. Standard arm provides height (6" range), 360 degree swivel and 15 degree +/- tilt adjustability. 25" Gel wrist rest. Snag-free comfort contoured underside. One-Touch™ spring-assist control. Surpasses ANSI/BIFMA standards.	321
SUFFIX	Ergonomic Monitor Arms	LIST
HOC	Hopper™ Monitor Arm with ratchet mechanism - clamp base	196
MAC	Mantis™ Monitor Arm with pneumatic mechanism - clamp base	472
SUFFIX	Adjustability, Accessibility and Mobility	LIST
AHW	Adj. Height Snap-Lock™ mech./Series 105 Laptop Tables (add'l wire chase required)	169
FLG	Genu-Fold™ Folding-Leg Mechanism - For DL <i>Seminar</i> Tables (add per table)	240
FLR	Genu-Fold™ Folding-Leg Riser (required per table if less than 55"w)	52
VCP	Suspended CPU case support - slide-out and swivel	129
LGC	2 Dual-wheel locking casters - (per "T" or "C" Main Bar)	47

SUFFIX	Connectivity & Wire Management	LIST
DTG	Desk top wire access grommet offers an 80mm opening and a rotating cover.	28
WM123	Threshold Wire Manager - Black, Gray or Yellow - 3' (cut to size)	36
WM126	Threshold Wire Manager - Black, Gray or Yellow - 6" (cut to size)	73
WM16	Snake wire manager - 31-1/8" - length may be modified.	97
PDP	Power/Data Port™ provides duplex electrical outlet and 2 - RJ-45 data connectors in a 3" x 7" location with hide-away cover that slides open and down at the back of the port.	128
PDR	The Recessed Power/Data Port offers the ability to reduce clutter and limit cable jacks and electrical connections while maintaining the accessibility of a desktop port. Includes duplex outlet, cord and plug and double CAT-5 barrel connector module (Additional plug-in modules are available).	209
PCC	Power Control Console™ controls power to CPU and other equipment. 6 outlets: (4) lighted-switch receptacles, (2) "always hot" receptacles and RJ11 modem port	159
SPS	Surge-protected Power Strip with 10' cord and grounded plug is available with 6 outlets and modem protection. The 10 foot cord is necessary in the double workstations to reach wall outlets and/or to enable daisy-chaining from desk to desk.	66
SUFFIX	Task Lighting and Electric	LIST
ECHO	Single arm task light - 50w halogen - hi-lo switch - Grommet or clamp mount	238
HURON	Single arm task light - 18w c.f. - parabolic louver - hi-lo - Grommet or clamp mount	272
MUMBO	Single arm task light - 35w halogen - Heat diffusing head - Grommet or clamp mount	196
JUMBO	Single arm task light - 13w compact fluorescent - Grommet or clamp mount	172
LLT-3/6	5w lamp 6" black flex arm w/ transformer - Custom desk mount w/dimmer switch	89
LLT-3/12	5w lamp 12" black flex arm w/ transformer - Custom desk mount w/dimmer switch	92
LLT-3/18	5w lamp 18" black flex arm w/ transformer - Custom desk mount w/dimmer switch	95
CCO	Control panel cut-out in worksurface - Unfinished Edge	34
ST-S/BB/111	Stanza Single Magnetic	245
SUFFIX	Top Connectors/Extenders	LIST
A20-xx	Angle connector for 20" deep worksurfaces (Specify Angle)	103
A24-xx	Angle connector for 24" deep worksurfaces (Specify Angle)	110
A30-xx	Angle connector for 30" deep worksurfaces (Specify Angle)	134
A36-xx	Angle connector for 36" deep worksurfaces (Specify Angle)	155

SUFFIX	Security	LIST
MCL	Monitor cable lock (Universal PC Kit BMS-IC). Equipment security system features Steel cable, key lock and cast metal plates with vinyl surfaces that are activated with super-bond adhesive-with over 700 lbs. of holding strength	64
LCL	Laptop Lock - Interlock and 1-Plate security system. Features cast metal plate with vinyl surface that is activated with super Bond adhesive - industrial strength bond with over 700 lbs. of holding strength. Includes (1) 1.75" round plate, 5' steel cable, 3 gram bottle of super bond adhesive, and resettable combination lock.	62
NBL	NB Laptop Locker - Pull-out Laptop computer support/drawer with security lock.	259
SUFFIX	Custom Modifications/Conversions	LIST
LDN	Modify Table Leg Height - Down (add per table)	53
LUP	Modify Table Leg Height - Up (add per table)	81
CUT	Custom cut-out opening with finished edges	76
CFP	Cut-out filler panel with DTG	155
LMP	HP Laminate finish on base panels, shelves and doors.	Add 30% to base cost
LAM	HP Laminate finish on SnapFlex top surfaces	Add 30% to base cost
CWD	Custom Width	Call For Quote
CHT	Custom Height	Call For Quote
CDP	Custom Depth	Call For Quote

ITEM NUMBER	Projector/Document Camera Cabinet	SIZE	LIST
Freestanding Projector/Document Camera Cabinet with Locking door, Adjustable shelf, Integral Wire Management™			

SPX-243030-FDL	Freestanding Projector/DocCam Cabinet - Hinge left	24x30x30	948
-----------------------	--	----------	-----

SPX-243030-FDR	Freestanding Projector/DocCam Cabinet - Hinge right	24x30x30	948
-----------------------	---	----------	-----

Mobile Projector/Document Camera Cabinet with Dual-wheel casters, Locking door, Adjustable shelf, Integral Wire Management™			
---	--	--	--

SPX-243030-MDL	Mobile Projector/Document Camera Cabinet	24x30x30	1,000
-----------------------	--	----------	-------

SPX-243030-MDR	Mobile Projector/Document Camera Cabinet	24x30x30	1,000
-----------------------	--	----------	-------

ITEM NUMBER	Printer/Storage Cabinet	SIZE	LIST
Freestanding Printer/Storage Cabinet with Locking doors, Adjustable shelf, Integral Wire Management™			

SPX-302430-FDx	Fixed Printer/Storage Cabinet with Locking Doors	30x24x30	1,086
-----------------------	--	----------	-------

SPX-362430-FDx	Fixed Printer/Storage Cabinet with Locking Doors	36x24x30	1,121
-----------------------	--	----------	-------

Mobile Printer/Storage Cabinet with dual-wheel casters, Locking doors, Adjustable shelf, Integral Wire Management™			
--	--	--	--

SPX-302430-MDx	Mobile Printer/Storage Cart with Locking Doors	30x24x30	1,138
-----------------------	--	----------	-------

SPX-362430-MDx	Mobile Printer/Storage Cart with Locking Doors	36x24x30	1,172
-----------------------	--	----------	-------

Freestanding Open Printer/Storage Cabinet with Adjustable shelf, Integral Wire Management™			
--	--	--	--

SPX-302430-Fxx	Printer/Storage Cabinet - Open	30x24x30	810
-----------------------	--------------------------------	----------	-----

SPX-362430-Fxx	Printer/Storage Cabinet - Open	36x24x30	862
-----------------------	--------------------------------	----------	-----

Mobile Open Printer/Storage Cabinet with Dual-wheel casters, Adjustable shelf, Integral Wire Management™			
--	--	--	--

SPX-302430-Mxx	Mobile Printer/Storage Cart - Open	30x24x30	862
-----------------------	------------------------------------	----------	-----

SPX-362430-Mxx	Mobile Printer/Storage Cart - Open	36x24x30	914
-----------------------	------------------------------------	----------	-----

ITEM NUMBER	Network/Scan Station Console	SIZE	LIST
Network Station/Scanner Console with Dual-wheel casters, Pullout keyboard/mouse platform, Adjustable shelf, Integral Wire Management™			
SPX-362430-FCK	Freestanding Open Network/Scan Station Console	36x24x30	655
SPX-362430-MCK	Mobile Open Network/Scan Station Console	36x24x30	655
Network/Scan Station Console with Dual-wheel casters, Pullout keyboard/mouse platform, Locking doors, Adjustable shelf, Integral Wire Management™			
SPX-362430-FDK	Freestanding Locking Network/Scan Station Console	36x24x30	655
SPX-362430-MDK	Mobile Locking Network/Scan Station Console	36x24x30	655
ITEM NUMBER	Freestanding Drawer and Door Storage Pedestal	SIZE	LIST
SPX-202426-FDD	Freestanding Box/File Drawer Pedestal with Lock	20x24x26	983
SPX-202426-F3D	Freestanding 3-Box Drawer Pedestal with Lock	20x24x26	983
SPX-202426-FDL	Freestanding Door Ped. with Shelf & Lock - Hinge left	20x24x26	810
SPX-202426-FDR	Freestanding Door Ped. w/ Shelf & Lock - Hinge right	20x24x26	810
ITEM NUMBER	Mobile Drawer and Door Storage Pedestal	SIZE	LIST
SPX-202426-MDD	Mobile Box/File Drawer Pedestal with Lock	20x24x26	983
SPX-202426-M3D	Mobile 3-Box Drawer Pedestal with Lock	20x24x26	983
SPX-202426-MDL	Mobile Door Ped. with Shelf & Lock - Hinge left	20x24x26	810
SPX-202426-MDR	Mobile Door Ped. with Shelf & Lock - Hinge right	20x24x26	810

ITEM NUMBER	Tall Locking Storage	SIZE	LIST
SPX-301660-FDx	Tall Locking Storage Cabinet with 4 adj. 16"d shelves	30x16x60	1,172
SPX-361660-FDx	Tall Locking Storage Cabinet with 4 adj. 16"d shelves	36x16x60	1,207
SPX-302460-FDx	Tall Locking Storage Cabinet with 4 adj. 24"d shelves	30x24x60	1,414
SPX-362460-FDx	Tall Locking Storage Cabinet with 4 adj. 24"d shelves	36x24x60	1,448

ITEM NUMBER	Taller Locking Storage	SIZE	LIST
SPX-301672-FDx	Taller Locking Storage Cab. with 4 adj. 16"d shelves	30x16x72	1,172
SPX-361672-FDx	Taller Locking Storage Cab. with 4 adj. 16"d shelves	36x16x72	1,207
SPX-302472-FDx	Taller Locking Storage Cab. with 4 adj. 24"d shelves	30x24x72	1,414
SPX-362472-FDx	Taller Locking Storage Cab. with 4 adj. 24"d shelves	36x24x72	1,448

ITEM NUMBER	Tall Open Storage/Bookcase	SIZE	LIST
SPX-301260-Fxx	Tall Open Storage/Bookcase with 4 adj. 12" shelves	30x12x60	983
SPX-361260-Fxx	Tall Open Storage/Bookcase with 4 adj. 12" shelves	36x12x60	1,017
SPX-301660-Fxx	Tall Open Storage/Bookcase with 4 adj. 12" shelves	30x16x60	983
SPX-361660-Fxx	Tall Open Storage/Bookcase with 4 adj. 12" shelves	36x16x60	1,017
SPX-302460-Fxx	Tall Open Storage/Bookcase with 4 adj. 12" shelves	30x24x60	1,069
SPX-362460-Fxx	Tall Open Storage/Bookcase with 4 adj. 12" shelves	36x24x60	1,103

ITEM NUMBER	Taller Open Storage/Bookcase	SIZE	LIST
SPX-301272-Fxx	Taller Open Storage/Bookcase with 4 adj. 12" shelves	30x12x72	1,017
SPX-361272-Fxx	Taller Open Storage/Bookcase with 4 adj. 12" shelves	36x12x72	1,052
SPX-301672-Fxx	Taller Open Storage/Bookcase with 4 adj. 12" shelves	30x16x72	1,017
SPX-361672-Fxx	Taller Open Storage/Bookcase with 4 adj. 12" shelves	36x16x72	1,052
SPX-302472-Fxx	Taller Open Storage/Bookcase with 4 adj. 12" shelves	30x24x72	1,103
SPX-362472-Fxx	Taller Open Storage/Bookcase with 4 adj. 12" shelves	36x24x72	1,138

ITEM NUMBER	Video Monitor Tower	SIZE	LIST
Single Video Monitor Tower on heavy-duty casters to permit access to rear of unit. Supports up to 36" diag. Video Monitor above 60" high locking storage with 4 adjustable shelves, Integral Wire Management™			
SPX-363088-MDV	Video Monitor Tower with 60" locking storage	36x30x88	2,621
Double Video Monitor Tower on heavy-duty casters to permit access to rear of unit. Supports up to two 36" diag. Video Monitors above 30" high locking storage with adjustable shelf, Integral Wire Management™			
SPX-363088-MVV	Video Monitor Tower with 30" locking storage	36x30x88	2,466
ITEM NUMBER	Desktop Podium	SIZE	LIST
SPX-141212-xxx	Desktop Podium 18" wide - (std. w/ISR-603030-CA9)	14x12x12	131
SPX-181212-xxx	Desktop Podium 14" wide - (std. w/ISR-723030-CA9)	18x12x12	138

ITEM NUMBER	Computer Task Chairs	Seat	Back	Seat Ht.	Capacity	LIST
SC-026	CLASS ACT™ Training/Computer Chair	19.7x20	15x17	16 to 20	250 lbs	221
SC-026A	CLASS ACT™ Training/Computer Chair with Arm rests	19.7x20	15x17	16 to 20	250 lbs	304
SC-325	COLLABORA™ Conference Training Chair	20.5x21d	19.5x23	17 to 21	275 lbs	353
SC-028	OPERATOR II™ Training/Computer Chair	19x19.5	20.5x19	17 to 21	250 lbs	253
SC-028A	OPERATOR II™ Training/Computer Chair with Arm rests	19x19.5	20.5x19	17 to 21	250 lbs	337
SC-555	COMPUCHAIR™ Computer Chair Hi-Back with Arm rests	18.5x19.5	20.5x18.2	17 to 21	250 lbs	415
SC-1401	SOLA™ Training/Computer Chair Low-Back (Grade 1)	19x18	16.5x15.5	16.5 to 21	350 lbs	575
SC-1411	SOLA™ Training/Computer Chair Low-Back with Arm rests (Grade 1)	19x18	16.5x15.5	16.5 to 21	350 lbs	693
SC-1403	SOLA™ Training/Computer Chair Mid-Back (Grade 1)	19x18	17.5x19.5	16.5 to 21	350 lbs	611
SC-1413	SOLA™ Training/Computer Chair Mid-Back w/ Arm rests (Grade 1)	19x18	17.5x19.5	16.5 to 21	350 lbs	728

ITEM NUMBER	Computer Task Chairs	Seat	Back	Seat Ht.	Capacity	LIST
SC-E200	EzSeat™ Task Chair 5 Star Base with Arms Plastic Seat	18 x 19	9"h	17" - 22"	300+ lbs	219
SC-E200U	EzSeat™ Task Chair 5 Star Base with Arms Upholstered	18 x 19	9"h	17" - 22"	300+ lbs	336
SC-E210	EzSeat™ Task Chair 5 Star Base Armless Plastic Seat	18 x 19	9"h	17" - 22"	300+ lbs	219
SC-E210U	EzSeat™ Task Chair 5 Star Base Armless Upholstered	18 x 19	9"h	17" - 22"	300+ lbs	336
SC-E220	EzSeat™ Task Chair 5 Star Base w/Short Arms Plastic Seat	18 x 19	9"h	17" - 22"	300+ lbs	219
SC-E220U	EzSeat™ Task Chair 5 Star Base with Short Arms Upholstered	18 x 19	9"h	17" - 22"	300+ lbs	336

ITEM NUMBER	Executive/Conference Chairs	Seat	Back	Seat Ht.	Capacity	LIST
SC-500	ALL DAY™ Training/Computer Chair Mid-Back with Arm rests	18.5x19.5	20.5x15.5	17 to 21	250 lbs	409
SC-3303	AXIA™ Training/Conference Chair without arms	20.5x19.5	18x19	16.5 to 21	300 lbs	980
SC-3313	AXIA™ Training/Conference Chair with Arm rests	20.5x19.5	18x19	16.5 to 21	300 lbs	1,094
SC-360	MAESTRO™ Executive Conference Chair Leather	25.5x19.5	20x26.5	17.5 to 21	250 lbs	525
SC-410	AIR I™ High-Back Executive Chair Mesh	25.5x19.5	20x26.5	17.5 to 21	250 lbs	627
SC-415	AIR II™ Mid-Back Executive Chair Mesh	25.5x19.5	20x26.5	17.5 to 21	250 lbs	567
SC-404	COMANDANTE™ Conference Table Chair	21x22d	23x32h	18 to 21	250 lbs	503
SC-404L	COMANDANTE™ Conference Table Chair Leather	21x22d	23x32h	18 to 21	250 lbs	558
SC-454	TOUCAN™ Executive Chair with interchangeable cushions	21x21d	24x28	18 to 21	250 lbs	688
SC-705	GRAFITA/MB™ Mid-Back Conference Chair Leather	20x18.5	20x21	18 to 21.5	250 lbs	554
SC-715	GRAFITA/HB™ High-Back Conference Chair Leather	20x18.75	20x29.5	18 to 21.5	250 lbs	627

ITEM NUMBER	Student Computer Chairs	Seat	Back	Seat Ht.	Capacity	LIST
SC-KG100	GRO-NOMIC™ Student Computer Chair	17x17.5	13x9	15 to 19	200 lbs	102
SC-100	NAVIGATOR™ Student Computer Chair	17x17.5	13x9	15 to 19	200 lbs	146
SC-025	TASK MASTER™ Student Computer Chair	17x17.5	13x9	15 to 19	200 lbs	182
SC-025A	TASK MASTER™ Student Computer Chair with Arms	17x17.5	13x9	15 to 19	200 lbs	265

ITEM NUMBER	Stools	Seat	Back	Seat Ht.	Capacity	LIST
SC-005	BOOST™ Lectern Stool Loop Arms Adjustable Foot Ring	18.4x16.4	16x10.6	24 to 29.5	250 lbs	253
SC-007	ROOST™ Lectern Stool Adjustable Foot Ring	19.7x20	15x17	24 to 29.5	250 lbs	305
SC-ES300	EzSeat™ Stool 5 Star Base with Arms Plastic Seat	18 x 19	9"h	29" - 35"	300+ lbs	292
SC-ES300U	EzSeat™ Stool 5 Star Base with Arms Upholstered	18 x 19	9"h	29" - 35"	300+ lbs	409
SC-ES310	EzSeat™ Stool 5 Star Base Armless Plastic Seat	18 x 19	9"h	29" - 35"	300+ lbs	292
SC-ES310U	EzSeat™ Stool 5 Star Base Armless Upholstered	18 x 19	9"h	29" - 35"	300+ lbs	409
SC-ES320	EzSeat™ Stool 5 Star Base with Short Arms Plastic Seat	18 x 19	9"h	29" - 35"	300+ lbs	292
SC-ES320U	EzSeat™ Stool 5 Star Base with Short Arms Upholstered	18 x 19	9"h	29" - 35"	300+ lbs	409

ITEM NUMBER	Stacking Chairs	Seat	Back	Seat Ht.	Capacity	LIST
SC-V202	CAMDEN™ Stacking Chair (grade 1 fabric)	23.5x22	19x14	18.5"	300 lbs	295
SC-V222	CAMDEN™ Stacking Arm Chair (grade 1 fabric)	23.5x22	19x14	18.5"	300 lbs	341
SC-V222T	CAMDEN™ Upholstered Tablet Arm Chair (grade 1 fabric)	23.5x22	19x14	18.5"	300 lbs	431
SC-ES110	EzSeat™ Armless Stacking Chair Plastic Seat	18 x 19	9"h	17"	300+ lbs	131
SC-ES110U	EzSeat™ Armless Stacking Chair Upholstered	18 x 19	9"h	17"	300+ lbs	250
SC-ES120	EzSeat™ Stacking Arm Chair Plastic Seat	18 x 19	9"h	17"	300+ lbs	131
SC-ES120U	EzSeat™ Stacking Arm Chair Upholstered	18 x 19	9"h	17"	300+ lbs	250

ITEM NUMBER	Tablet Arm Chairs & Combo Desks	Seat	Back	Seat Ht.	Capacity	LIST
SC-ES112	EzSeat™ Tablet-Arm Chair Armless Stacking Plastic Seat	18 x 19	9"h	17"	300+ lbs	230
SC-ES112U	EzSeat™ Tablet-Arm Chair Armless Stacking Upholstered	18 x 19	9"h	17"	300+ lbs	348
SC-ES122	EzSeat™ Tablet-Arm Chair Short Arm Stacking Plastic Seat	18 x 19	9"h	17"	300+ lbs	230
SC-ES122U	EzSeat™ Tablet-Arm Chair Short Arm Stacking Upholstered	18 x 19	9"h	17"	300+ lbs	348
SC-ES114	EzSeat™ Tablet-Arm/Book Rack Chair Armless Stacking Plastic Seat	18 x 19	9"h	17"	300+ lbs	283
SC-ES114U	EzSeat™ Tablet-Arm/Book Rack Chair Armless Stacking Upholstered	18 x 19	9"h	17"	300+ lbs	401
SC-ES124	EzSeat™ Tablet-Arm/Book Rack Chair Short Arm Stacking Plastic Seat	18 x 19	9"h	17"	300+ lbs	283
SC-ES124U	EzSeat™ Tablet-Arm/Book Rack Chair Short Arm Stacking Upholstered	18 x 19	9"h	17"	300+ lbs	401
SC-ES400	EzSeat™ Combo Desk/Chair Plastic Seat	18 x 19	9"h	17"	300+ lbs	270
SC-ES400U	EzSeat™ Combo Desk/Chair Upholstered	18 x 19	9"h	17"	300+ lbs	402

ITEM NUMBER	Miscellaneous & Options	Seat	Back	Seat Ht.	Capacity	LIST
SC-ESW10	EzSeat Storage Wizard Chair Dolly				26 chairs	324
SC-ESGP	EzSeat Ganging Pins Standard Seat Ganging Clips Welded					13
SC-ESGC	EzSeat Ganging Clips Arc Ganging and for Tablet Arms Attach					16

Building the future of education one classroom at a time™
Visit www.smartdesks.com to learn more.

Terms and Conditions:

Terms - 2% 10 days / Net 30 days on approved accounts. New customer and custom orders may require 50% deposit before order can be processed. 2% interest per month will be added to past due accounts. All prices are subject to change without notice. Clerical and typographical errors are subject to correction. Prices are F.O.B. Factory except **SMARTchairs™**, which ship F.O.B. Destination (continental U.S. only).

Acknowledgments - All orders must have a purchase order number. Verbal orders are not accepted. Confirming orders must be clearly marked "confirming". **SMARTdesks™** will send an acknowledgement of all orders. If there is an error in our acknowledgement, please contact us immediately. Lack of contact is an assumption of the accuracy of your order. Changes to order acknowledgements must be by mutual written agreement. Order revisions and or cancellations are subject to additional charges.

Product Specification - Selection and specification of product is the responsibility of the entity that enters the purchase order with **SMARTdesks™** or its agents.

Crating Charges - Less than Truck-Load (LTL) shipments are subject to a \$30 Net Per Unit Crating and Pallet Charge. Additional charges for overseas shipment may apply.

Freight - Goods pass to purchaser and seller's responsibility ceases when carriers at factory dockside accept shipment for transport. Claims for shortages and incorrect items will only be considered if written confirmation is received within 10 days of delivery. Freight claims for loss or damage is the consignee's responsibility. Please examine all shipments promptly upon receipt.

Claims - Notations of damage and/or shortage must be made on freight bill at time of delivery. In cases of concealed damage, a request for concealed damage inspection must be made within 15 days of delivery. Consignee must file claim with the carrier.

Agreements - All contracts or agreements for delivery by a specified date are contingent upon acts of God, war, strikes, accidents and other delays, unavoidable or beyond our control. All orders are subject to credit approval prior to being placed in production.

Returned Goods - Merchandise may be returned only upon written consent of **SMARTdesks™**. Return Authorization Number (RA#) must accompany paperwork on bill of lading or shipment will be refused. Merchandise must be received in resalable condition and must be returned within 10 days of authorization. Authorized returned goods are to be shipped prepaid. After receipt and inspection of goods, credit will be issued as originally billed less a 25% restocking charge. All credits of less than \$100 will be held on account for a period of one year. Custom goods are not subject to return.

Cancellations - We cannot accept cancellations once an order has been placed in production.

June 2003
US \$ List Prices

Phone 800.770.7042
Fax 877.620.7411

sales @ smartdesks.com
www.smartdesks.com

Building the future of education one classroom at a time™
Visit www.smartdesks.com to learn more.

SMARTdesks™ GENERAL CONSTRUCTION SPECIFICATIONS

Top Surfaces - 0.048" thick, high-pressure laminate (exceeds performance requirements of NEMA 3-1995 Grade HGS) bonded to 30mm thick 50# medium density particleboard phenolic resin impregnated backer sheet. All edges are banded in 3mm thick, color-thru PVC that has been mechanically applied under pressure and heat.

Base Panels - 0.020" thick melamine coated finish thermally fused to both sides of 19mm thick 42# medium density particleboard. All exposed edges (including bottom edges in with the floor - to prevent water damage) are banded in 3mm thick PVC that been mechanically applied under pressure and heat.

Construction - Technology employing steel-to-steel (thru-drilled for full panel integrity) pin and cam connections where needed to insure durability and ease of assembly.

Keyboard Platform Hardware - 125# tested Accuride 3/4 extension slides with lifetime warranty.

Floor Glides - All units are provided with adjustable steel leveling glides with vinyl shield that to metal inserts in the support panels.

Casters - 50mm diam. wide-spaced, dual-wheel, 100# load tested, hard (for carpeted surfaces), abrasion-proof plastic; hooded, free-running or with brake. Addition steel is added to panel mounted casters for extra strength.

Sub-Surface Monitor Window - 6mm thick tempered glass; tinted 40%

NOTES:

SMARTdesks™ reserves the right to change these specifications at any time to effect improvements to our products.

All **SMARTdesks™** product designs, specifications, graphic images and literature are copyright © 1993 - 2003. All rights reserved worldwide.

Warranty

SMARTdesks™ products carry a limited lifetime warranty if used under normal conditions for the purpose intended. Damages as a result of misuse, improper or incomplete assembly or maintenance or acts of God are not covered. Except as expressly stated, **SMARTdesks™** disclaims other warranty of any kind, expressed or implied, including warranty of merchantability or fitness for a particular purpose. No person is authorized to assume for **SMARTdesks™** any other liability in connection with the sale of this product. In no event shall **SMARTdesks™** be liable for any incidental or consequential damages related to the merchandise purchased.

SMARTdesks™ reserves the right to repair or replace components at our option.

Exceptions - Instructional accessories, electrical components and certain hardware are covered under separate agreement. **SMARTchairs™** carry a fifteen year limited warranty. Fabric wear is not covered. Contact us for additional information.

June 2003
US \$ List Prices

Phone 800.770.7042
Fax 877.620.7411

sales @ smartdesks.com
www.smartdesks.com

QQuote

How to Get a Project Cost Quote:

- ❖ **OPTION 1:** Visit our Web site at **www.smartdesks.com**. Select from our comprehensive online catalog. Use **QQuote™** to get a complete project cost quote including crating and freight, as well as optional inside delivery and installation anywhere you need us.
- ❖ **OPTION 2:** Copy and fill out the form below and **FAX it to 877-620-7411**. List items by product number. Be sure to include all letters, numbers and hyphens. Indicate options by their three-letter code and separate with a forward slash.

How to Read our Product Numbers:

Example: DSR-883030-CK9/RAP/SPS

- ❖ The first letter refers to the number of stations or seats in the module: **D** (Double Station)
- ❖ The second two letters indicate the series: **SR** (Semi-Recessed Monitor Workstation Series)
- ❖ The second group, composed of six digits, represent **Width x Depth x Height** in inches (88" x 30" x 30")
- ❖ The third set of characters, depending on the series and number of stations, define the configuration: **C** (Convertible CPU Cabinet), **K** (2-Pull-out Keyboard/Mouse Platforms), **9** (Up to 2-19" monitors)
- ❖ options separated by forward slashes: / **RAP** (Rear Access Panel) / **SPS** (Power Strip w/10' Cord)

QQuote Request Form

Contact Information:

First / Last Name _____

Organization/Company _____

Address _____

City/State/Country/Zip _____

Email Address _____

Telephone _____

Fax Number _____

Entity (CORP / EDU / GOV / MIL / T&T / VAR / OTHER) _____

Project Information:

Job Reference _____

Quote Needed By (mm/dd/yy) _____

Installation Date (mm/dd/yy) _____

Project Zip Code (if different than above) _____

Is a loading dock available? Yes ___ No ___

Quote optional inside delivery? Yes ___ No ___

If on an upper floor, is an elevator available? Yes ___ No ___

Quote optional assembly service? Yes ___ No ___

Please send delivered pricing on the following items:

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Item Number ____ - ____ - ____ / ____ / ____ / ____ / ____ / ____ / ____

Comments, Special Requests: